


# TADA

Radiocomandi | Radioremototes


Modelli compatibili | Compatible models



TADA 2

TADA 4

TADA ALL



**KEYLINE**

*Innovators by design | Since 1770*

A BIANCHI 1770 GROUP COMPANY





THE ART OF  
*DUPLICATION*



# TADA

RADIOCOMANDI - MODELLI COMPATIBILI  
RADIOREMOTES - COMPATIBLE MODELS

# INDICE / INDEX

p	5	<b>TADA 2 - TADA 4 - TADA ALL</b>			
	<b>6</b>	<b>Guida illustrata dei modelli compatibili / Illustrated guide of compatible models</b>			
6	ADYX	25	ECOSTAR	44	NORTON
6	AERF	26	ELBE	45	NOVOFERM
8	ALLMATIC	26	ELEMAT	45	O&O
9	APERTO	26	ELKA	46	OPENOUT
9	APRIMATIC	26	EMFA	46	PECCININ
9	ATA	26	ERREKA	46	PORTAMATIC
9	AUTELCO	29	FAAC	47	PRASTEL
10	AVIDSEN	31	FADINI	48	PROEM
10	BALLAN	31	FERPORT	48	PROLIFT
11	BENINCA	31	FORSA	48	PUJOL
12	BFT	31	GENIUS	49	RIB
13	CAME	32	GIBIDI	49	ROLLTORE
14	CARDIN	33	GULLIVER	50	ROPER
15	CASALI	33	HORMANN	50	SABUTOM
15	CASIT	34	JCM	50	SEA
15	CELINSA	36	KEY	50	SEAV
17	CHAMBERLAIN	36	KING GATES	50	SERAI
19	CIMESA	36	LABEL	50	SILVELOX
19	CLEMSA	37	LEB	50	SIMINOR
21	DASPI	37	LIFT MASTER	51	SOMFY
21	DEA SYSTEM	39	LINEAR	52	SOMMER
22	DELMA	39	MARANTEC	52	STAGNOLI
23	DICKERT	40	MERLIN 2.0	53	TAU
24	DITEC	40	MERLIN	53	TELCOMA
25	DOORHAN	41	MHOUSE	54	V2
25	DOORMATIC	41	MOTOR LIFT	54	VDS
25	DUCATI	44	NICE		
	<b>55</b>	<b>Elenco dei modelli originali compatibili / List of compatible original models</b>			
55	ADYX	57	ECOSTAR	59	NORTON
55	AERF	57	ELBE	59	NOVOFERM
55	ALLMATIC	57	ELEMAT	59	O&O
55	APERTO	57	ELKA	59	OPENOUT
55	APRIMATIC	57	EMFA	59	PECCININ
55	ATA	57	ERREKA	59	PORTAMATIC
55	AUTELCO	57	FAAC	59	PRASTEL
55	AVIDSEN	57	FADINI	59	PROEM
55	BALLAN	57	FERPORT	59	PROLIFT
55	BENINCA	57	FORSA	59	PUJOL
55	BFT	57	GENIUS	59	RIB
55	CAME	57	GIBIDI	59	ROLLTORE
55	CARDIN	57	GULLIVER	59	ROPER
55	CASALI	57	HORMANN	59	SABUTOM
55	CASIT	57	JCM	59	SEA
56	CELINSA	58	KEY	59	SEAV
56	CHAMBERLAIN	58	KING GATES	59	SERAI
56	CIMESA	58	LABEL	59	SILVELOX
56	CLEMSA	58	LEB	59	SIMINOR
56	DASPI	58	LIFT MASTER	59	SOMFY
56	DEA SYSTEM	58	LINEAR	59	SOMMER
56	DELMA	58	MARANTEC	60	STAGNOLI
56	DICKERT	58	MERLIN 2.0	60	TAU
56	DITEC	58	MERLIN	60	TELCOMA
56	DOORHAN	58	MHOUSE	60	V2
56	DOORMATIC	58	MOTOR LIFT	60	VDS
56	DUCATI	58	NICE		

# TADA 2 / TADA 4 / TADA ALL

RADIOCOMANDI RESIDENZIALI UNIVERSALI  
RESIDENTIAL UNIVERSAL RADIOREMOTES



TADA, i nuovi radiocomandi Keyline per controllare e gestire in modo semplice e sicuro tutte le automazioni e l'illuminazione della tua casa. Soluzioni pratiche, funzionali e dal design ergonomico e sottile, ideali da tenere in tasca, nella borsa o da usare come portachiavi.

TADA è disponibile in 3 versioni: **TADA 2** e **TADA 4**, 2 e 4 canali a codice fisso 433,92 MHz; e **TADA ALL** a 4 canali multifrequenza.

TADA, the new Keyline's radioremototes to control and manage in an easy and safe way all your domestic automations and lightings. Practical and functional solutions with an ergonomic and thin design, ideal to keep in your pocket, in your bag or to use as a key ring.

TADA is available in 3 versions: **TADA 2** and **TADA 4**, with fixed code 433.92 MHz, 2 and 4 channels; and **TADA ALL** multifrequency with 4 channels.

## CARATTERISTICHE TECNICHE / TECHNICAL FEATURES


Versione / Version	TADA 2	TADA 4	TADA ALL
Frequenza / Frequency	433.92 MHz		Multifrequenza / Multifrequency
Tipo Codifica / Type of Coding	Fissa / Fixed		Rolling Code e Fissa / Rolling Code and Fixed
Numero Canali / Number of Channels	2	4	
Utilizzo / Use	Cancelli, tapparelle, box auto, illuminazione, irrigazione / Gates, roller shutters, garage doors, lighting, irrigation		
Programmazione / Programming	Auto-apprendente / Self-learning		
Batterie / Batteries	2 x 3V CR2016 (inclusa / included)		1 x 3V CR2032 (inclusa / included)
Colore / Color	Rosso / Red		Azzurro / Light blue

# GUIDA ILLUSTRATA DEI MODELLI COMPATIBILI ILLUSTRATED GUIDE OF COMPATIBLE MODELS

## Legenda simboli di programmazione Programming symbols legend



Acquisizione diretta + sistema di acquisizione a distanza  
Direct learning + Air Learning System Option



Acquisizione diretta + acquisizione sulla centralina  
Direct learning + learning on the receiver



Acquisizione diretta  
Direct learning

Per/For **ADYX**      Modello/Model **433-HD BRAVO**

Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	

Duplicabile con/Duplicable with:  
**TADA ALL**



Per/For **ADYX**      Modello/Model **TE4433H BLUE**

Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	


Duplicabile con/Duplicable with:  
**TADA ALL**



Per/For **ADYX**      Modello/Model **TM-433**

Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	

Duplicabile con/Duplicable with:  
**TADA ALL**  
**TADA 2 / TADA 4**



Per/For **AERF**      Modello/Model **BT**

Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	

Duplicabile con/Duplicable with:  
**TADA ALL**  
**TADA 2 / TADA 4**



Per/For **AERF**      Modello/Model **COMPACT**

Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	

Duplicabile con/Duplicable with:  
**TADA ALL**



Per/For **AERF**      Modello/Model **HY-DOM**

Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	

Duplicabile con/Duplicable with:  
**TADA ALL**



Per/For **AERF**      Modello/Model **MARS**

Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	

Duplicabile con/Duplicable with:  
**TADA ALL**



Per/For **AERF**      Modello/Model **MARS**

Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	868.36 MHz
Programmazione/Programming:	


Duplicabile con/Duplicable with:  
**TADA ALL**




I marchi originali indicati non sono di proprietà di Keyline S.p.A. che non rivendica alcun diritto su di essi. L'indicazione dei marchi ha il solo scopo di permettere l'individuazione della compatibilità dei ricambi. Keyline S.p.A. non ha nessun legame commerciale con le aziende proprietarie dei marchi o con le aziende ad esse collegate. The original brands indicated here don't belong to Keyline S.p.A. that does not claim any rights about them. The indication of the brands just has the purpose to allow spotting the spare parts compatibility. Keyline S.p.A. has not got any commercial bond with the company's owners of the brands or with companies cooperating with them.





Per/For **AERF**      Modello/Model **MERCURI B**

Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming: 	
Duplicabile con/Duplicable with: <b>TADA ALL</b>	



Per/For **AERF**      Modello/Model **MERCURI B**

Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	868.36 MHz
Programmazione/Programming: 	
Duplicabile con/Duplicable with: <b>TADA ALL</b>	





Per/For **AERF**      Modello/Model **MERCURI C**

Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming: 	
Duplicabile con/Duplicable with: <b>TADA ALL</b>	




Per/For **AERF**      Modello/Model **MERCURI C**

Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	868.36 MHz
Programmazione/Programming: 	
Duplicabile con/Duplicable with: <b>TADA ALL</b>	





Per/For **AERF**      Modello/Model **SABUTON**

Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming: 	
Duplicabile con/Duplicable with: <b>TADA ALL</b>	





Per/For **AERF**      Modello/Model **SATURN**

Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming: 	
Duplicabile con/Duplicable with: <b>TADA ALL</b>	



Per/For **AERF**      Modello/Model **ST3-N**

Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming: 	
Duplicabile con/Duplicable with: <b>TADA ALL</b>	





Per/For **AERF**      Modello/Model **TERRA**

Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming: 	
Duplicabile con/Duplicable with: <b>TADA ALL</b>	





Per/For **AERF**      Modello/Model **TMP-1**

Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming: 	
Duplicabile con/Duplicable with: <b>TADA ALL</b>	



Per/For **AERF**      Modello/Model **TMP-2**


Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming: 	
Duplicabile con/Duplicable with: <b>TADA ALL</b>	



I marchi originali indicati non sono di proprietà di Keyline S.p.A. che non rivendica alcun diritto su di essi. L'indicazione dei marchi ha il solo scopo di permettere l'individuazione della compatibilità dei ricambi. Keyline S.p.A. non ha nessun legame commerciale con le aziende proprietarie dei marchi o con le aziende ad esse collegate. The original brands indicated here don't belong to Keyline S.p.A. that does not claim any rights about them. The indication of the brands just has the purpose to allow spotting the spare parts compatibility. Keyline S.p.A. has not got any commercial bond with the company's owners of the brands or with companies cooperating with them.

# GUIDA ILLUSTRATA DEI MODELLI COMPATIBILI ILLUSTRATED GUIDE OF COMPATIBLE MODELS

Per/For **AERF**      Modello/Model **TTS**

Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	

Duplicabile con/Duplicable with:  
**TADA ALL**  
**TADA 2 / TADA 4**

Per/For **AERF**      Modello/Model **UNITECH**

Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	

Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **ALLMATIC**      Modello/Model **ASMX2**

Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	306.00 MHz
Programmazione/Programming:	

Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **ALLMATIC**      Modello/Model **ASMY**

Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	306.00 MHz
Programmazione/Programming:	

Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **ALLMATIC**      Modello/Model **BRO.OVER**

Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	

Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **ALLMATIC**      Modello/Model **BROWN**

Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	

Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **ALLMATIC**      Modello/Model **BROWN RED**

Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	

Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **ALLMATIC**      Modello/Model **MINIPASS**

Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	

Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **ALLMATIC**      Modello/Model **PASS**

Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	

Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **ALLMATIC**      Modello/Model **TECH3**

Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	

Duplicabile con/Duplicable with:  
**TADA ALL**

I marchi originali indicati non sono di proprietà di Keyline S.p.A. che non rivendica alcun diritto su di essi. L'indicazione dei marchi ha il solo scopo di permettere l'individuazione della compatibilità dei ricambi. Keyline S.p.A. non ha nessun legame commerciale con le aziende proprietarie dei marchi o con le aziende ad esse collegate. The original brands indicated here don't belong to Keyline S.p.A. that does not claim any rights about them. The indication of the brands just has the purpose to allow spotting the spare parts compatibility. Keyline S.p.A. has not got any commercial bond with the company's owners of the brands or with companies cooperating with them.

Per/For **APERTO** Modello/Model **4020-TX03-434**

Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL</b>



Per/For **APERTO** Modello/Model **CPS**

Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL</b> <b>TADA 2 / TADA 4</b>



Per/For **APERTO** Modello/Model **TX02-434-2**

Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL</b>



Per/For **APERTO** Modello/Model **TX02-434-2**

Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	868.36 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL</b>



Per/For **APRIMATIC** Modello/Model **TM**

Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	 + <b>ALSO</b>
Duplicabile con/Duplicable with:	<b>TADA ALL</b>



Per/For **APRIMATIC** Modello/Model **TR**

Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	 + <b>ALSO</b>
Duplicabile con/Duplicable with:	<b>TADA ALL</b>





Per/For **APRIMATIC** Modello/Model **TXM**

Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	 + <b>ALSO</b>
Duplicabile con/Duplicable with:	<b>TADA ALL</b>



Per/For **ATA** Modello/Model **PTX4 BLU**

Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	 + <b>ALSO</b>
Duplicabile con/Duplicable with:	<b>TADA ALL</b>



Per/For **ATA** Modello/Model **PTX4 PINK**

Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	 + <b>ALSO</b>
Duplicabile con/Duplicable with:	<b>TADA ALL</b>



Per/For **AUTELCO** Modello/Model **EMB**


Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	286.00 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL</b>



I marchi originali indicati non sono di proprietà di Keyline S.p.A. che non rivendica alcun diritto su di essi. L'indicazione dei marchi ha il solo scopo di permettere l'individuazione della compatibilità dei ricambi. Keyline S.p.A. non ha nessun legame commerciale con le aziende proprietarie dei marchi o con le aziende ad esse collegate. The original brands indicated here don't belong to Keyline S.p.A. that does not claim any rights about them. The indication of the brands just has the purpose to allow spotting the spare parts compatibility. Keyline S.p.A. has not got any commercial bond with the company's owners of the brands or with companies cooperating with them.

# GUIDA ILLUSTRATA DEI MODELLI COMPATIBILI ILLUSTRATED GUIDE OF COMPATIBLE MODELS


Per/For **AUTELCO**      Modello/Model **TX300**



Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	286.00 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL</b>

Per/For **AUTELCO**      Modello/Model **TX300T**




Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	286.00 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL</b>


Per/For **AVIDSEN**      Modello/Model **104250**




Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL</b>


Per/For **AVIDSEN**      Modello/Model **104250 OLD**




Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL</b>


Per/For **AVIDSEN**      Modello/Model **104250 RED**




Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL</b>


Per/For **AVIDSEN**      Modello/Model **104251**




Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL</b>


Per/For **AVIDSEN**      Modello/Model **104257**



Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL</b>

Per/For **AVIDSEN**      Modello/Model **104350**



Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL</b>

Per/For **AVIDSEN**      Modello/Model **654250**



Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL</b>


Per/For **BALLAN**      Modello/Model **FM400**




Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL</b>

I marchi originali indicati non sono di proprietà di Keyline S.p.A. che non rivendica alcun diritto su di essi. L'indicazione dei marchi ha il solo scopo di permettere l'individuazione della compatibilità dei ricambi. Keyline S.p.A. non ha nessun legame commerciale con le aziende proprietarie dei marchi o con le aziende ad esse collegate. The original brands indicated here don't belong to Keyline S.p.A. that does not claim any rights about them. The indication of the brands just has the purpose to allow spotting the spare parts compatibility. Keyline S.p.A. has not got any commercial bond with the company's owners of the brands or with companies cooperating with them.

Per/For **BALLAN**      Modello/Model **FM400E**

Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL</b>



Per/For **BENINCA**      Modello/Model **APPLE**

Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	 + <b>ALSO</b>
Duplicabile con/Duplicable with:	<b>TADA ALL</b>



Per/For **BENINCA**      Modello/Model **CUPIDO**

Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	 + <b>ALSO</b>
Duplicabile con/Duplicable with:	<b>TADA ALL</b>



Per/For **BENINCA**      Modello/Model **IO**

Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	 + <b>ALSO</b>
Duplicabile con/Duplicable with:	<b>TADA ALL</b>



Per/For **BENINCA**      Modello/Model **LOT A**

Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	306.00 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL</b>



Per/For **BENINCA**      Modello/Model **LOT W**

Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL</b> <b>TADA 2 / TADA 4</b>



Per/For **BENINCA**      Modello/Model **LOT WCV**

Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	 + <b>ALSO</b>
Duplicabile con/Duplicable with:	<b>TADA ALL</b>





Per/For **BENINCA**      Modello/Model **LOT WMS**

Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL</b> <b>TADA 2 / TADA 4</b>



Per/For **BENINCA**      Modello/Model **LOT X**

Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	306.00 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL</b>



Per/For **BENINCA**      Modello/Model **LOT XPS**

Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	306.00 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL</b>



I marchi originali indicati non sono di proprietà di Keyline S.p.A. che non rivendica alcun diritto su di essi. L'indicazione dei marchi ha il solo scopo di permettere l'individuazione della compatibilità dei ricambi. Keyline S.p.A. non ha nessun legame commerciale con le aziende proprietarie dei marchi o con le aziende ad esse collegate. The original brands indicated here don't belong to Keyline S.p.A. that does not claim any rights about them. The indication of the brands just has the purpose to allow spotting the spare parts compatibility. Keyline S.p.A. has not got any commercial bond with the company's owners of the brands or with companies cooperating with them.

# GUIDA ILLUSTRATA DEI MODELLI COMPATIBILI ILLUSTRATED GUIDE OF COMPATIBLE MODELS

Per/For **BENINCA** Modello/Model **LOTXW**

Codifica/  
Coding **FIXED CODE**

Frequenza/  
Frequency **433.92 MHz**

Programmazione/Programming:  
 **+ ALSO**

Duplicabile con/Duplicable with:  
**TADA ALL**  
**TADA 2 / TADA 4**



Per/For **BENINCA** Modello/Model **ROLLKEY**

Codifica/  
Coding **ROLLING CODE**

Frequenza/  
Frequency **433.92 MHz**

Programmazione/Programming:  
 **+ ALSO**

Duplicabile con/Duplicable with:  
**TADA ALL**



Per/For **BENINCA** Modello/Model **TO.GO. QV**

Codifica/  
Coding **ROLLING CODE**

Frequenza/  
Frequency **868.36 MHz**

Programmazione/Programming:  
 **+ ALSO**

Duplicabile con/Duplicable with:  
**TADA ALL**



Per/For **BENINCA** Modello/Model **TO.GO. WP**

Codifica/  
Coding **ROLLING CODE**

Frequenza/  
Frequency **433.92 MHz**

Programmazione/Programming:  
 **+ ALSO**

Duplicabile con/Duplicable with:  
**TADA ALL**



Per/For **BENINCA** Modello/Model **TO.GO. WV**

Codifica/  
Coding **ROLLING CODE**

Frequenza/  
Frequency **433.92 MHz**

Programmazione/Programming:  
 **+ ALSO**

Duplicabile con/Duplicable with:  
**TADA ALL**



Per/For **BENINCA** Modello/Model **TWK**

Codifica/  
Coding **FIXED CODE**

Frequenza/  
Frequency **433.92 MHz**

Programmazione/Programming:  
 **+ ALSO**

Duplicabile con/Duplicable with:  
**TADA ALL**  
**TADA 2 / TADA 4**



Per/For **BENINCA** Modello/Model **TWV**

Codifica/  
Coding **ROLLING CODE**

Frequenza/  
Frequency **433.92 MHz**

Programmazione/Programming:  
 **+ ALSO**

Duplicabile con/Duplicable with:  
**TADA ALL**



Per/For **BFT** Modello/Model **GHIBLI**

Codifica/  
Coding **ROLLING CODE**

Frequenza/  
Frequency **433.92 MHz**

Programmazione/Programming:  
 **+ ALSO**

Duplicabile con/Duplicable with:  
**TADA ALL**



Per/For **BFT** Modello/Model **KLEIO**

Codifica/  
Coding **ROLLING CODE**

Frequenza/  
Frequency **433.92 MHz**

Programmazione/Programming:  
 **+ ALSO**

Duplicabile con/Duplicable with:  
**TADA ALL**



Per/For **BFT** Modello/Model **MITTO A**

Codifica/  
Coding **ROLLING CODE**

Frequenza/  
Frequency **433.92 MHz**

Programmazione/Programming:  
 **+ ALSO**

Duplicabile con/Duplicable with:  
**TADA ALL**



I marchi originali indicati non sono di proprietà di Keyline S.p.A. che non rivendica alcun diritto su di essi. L'indicazione dei marchi ha il solo scopo di permettere l'individuazione della compatibilità dei ricambi. Keyline S.p.A. non ha nessun legame commerciale con le aziende proprietarie dei marchi o con le aziende ad esse collegate. The original brands indicated here don't belong to Keyline S.p.A. that does not claim any rights about them. The indication of the brands just has the purpose to allow spotting the spare parts compatibility. Keyline S.p.A. has not got any commercial bond with the company's owners of the brands or with companies cooperating with them.

Per/For **BFT**



Modello/Model **MITTO M**

Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	 + 
Duplicabile con/Duplicable with:	<b>TADA ALL</b>

Per/For **BFT**



Modello/Model **MITTO RCB**

Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	 + 
Duplicabile con/Duplicable with:	<b>TADA ALL</b>

Per/For **BFT**



Modello/Model **MURALE**

Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	 + 
Duplicabile con/Duplicable with:	<b>TADA ALL</b>

Per/For **BFT**



Modello/Model **TEO**

Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL</b> <b>TADA 2 / TADA 4</b>


Per/For **BFT**





Modello/Model **TFQ**

Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	306.00 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL</b>


Per/For **BFT**



Modello/Model **TRC**

Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	 + 
Duplicabile con/Duplicable with:	<b>TADA ALL</b>

Per/For **BFT**



Modello/Model **TX2 306**

Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	306.00 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL</b>

Per/For **BFT**



Modello/Model **VTM**

Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	315.00 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL</b>

Per/For **CAME**



Modello/Model **TOP432EV**

Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL</b> <b>TADA 2 / TADA 4</b>

Per/For **CAME**




Modello/Model **TOP432NA**


Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL</b> <b>TADA 2 / TADA 4</b>

I marchi originali indicati non sono di proprietà di Keyline S.p.A. che non rivendica alcun diritto su di essi. L'indicazione dei marchi ha il solo scopo di permettere l'individuazione della compatibilità dei ricambi. Keyline S.p.A. non ha nessun legame commerciale con le aziende proprietarie dei marchi o con le aziende ad esse collegate. The original brands indicated here don't belong to Keyline S.p.A. that does not claim any rights about them. The indication of the brands just has the purpose to allow spotting the spare parts compatibility. Keyline S.p.A. has not got any commercial bond with the company's owners of the brands or with companies cooperating with them.

# GUIDA ILLUSTRATA DEI MODELLI COMPATIBILI ILLUSTRATED GUIDE OF COMPATIBLE MODELS


Per/For **CAME**      Modello/Model **TOP432S**




Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	

Duplicabile con/Duplicable with:  
**TADA ALL**  
**TADA 2 / TADA 4**


Per/For **CAME**      Modello/Model **TOP432SA**




Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	

Duplicabile con/Duplicable with:  
**TADA ALL**  
**TADA 2 / TADA 4**

Per/For **CAME**      Modello/Model **TOP434A**




Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	

Duplicabile con/Duplicable with:  
**TADA ALL**  
**TADA 2 / TADA 4**


Per/For **CAME**      Modello/Model **TOP434M**




Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	

Duplicabile con/Duplicable with:  
**TADA ALL**  
**TADA 2 / TADA 4**

Per/For **CAME**      Modello/Model **TOP862NA**



Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	868.36 MHz
Programmazione/Programming:	

Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **CAME**      Modello/Model **TWIN**



Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	

Duplicabile con/Duplicable with:  
**TADA ALL**  
**TADA 2 / TADA 4**

Per/For **CARDIN**      Modello/Model **S437 TX**



Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	 +ALSO

Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **CARDIN**      Modello/Model **S438 TX**



Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	

Duplicabile con/Duplicable with:  
**TADA ALL**  
**TADA 2 / TADA 4**

Per/For **CARDIN**      Modello/Model **TXQ 486**



Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	868.36 MHz
Programmazione/Programming:	 +ALSO

Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **CARDIN**      Modello/Model **TXQ 486 NEW**



Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	868.36 MHz
Programmazione/Programming:	 +ALSO

Duplicabile con/Duplicable with:  
**TADA ALL**

I marchi originali indicati non sono di proprietà di Keyline S.p.A. che non rivendica alcun diritto su di essi. L'indicazione dei marchi ha il solo scopo di permettere l'individuazione della compatibilità dei ricambi. Keyline S.p.A. non ha nessun legame commerciale con le aziende proprietarie dei marchi o con le aziende ad esse collegate. The original brands indicated here don't belong to Keyline S.p.A. that does not claim any rights about them. The indication of the brands just has the purpose to allow spotting the spare parts compatibility. Keyline S.p.A. has not got any commercial bond with the company's owners of the brands or with companies cooperating with them.



Per/For **CARDIN** Modello/Model **TXQ S449**

Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	 + ALSO
Duplicabile con/Duplicable with:	<b>TADA ALL</b>



Per/For **CARDIN** Modello/Model **TXQ S449 GREEN**

Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	 + ALSO
Duplicabile con/Duplicable with:	<b>TADA ALL</b>



Per/For **CARDIN** Modello/Model **TXQ S486 OLD**

Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	868.36 MHz
Programmazione/Programming:	 + ALSO
Duplicabile con/Duplicable with:	<b>TADA ALL</b>





Per/For **CASALI** Modello/Model **JA33 AMIGO**

Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	868.36 MHz
Programmazione/Programming:	 +
Duplicabile con/Duplicable with:	<b>TADA ALL</b>



Per/For **CASIT** Modello/Model **BE HAPPY S**

Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	 +
Duplicabile con/Duplicable with:	<b>TADA ALL</b>





Per/For **CASIT** Modello/Model **BE HAPPY S AZUL**

Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	 +
Duplicabile con/Duplicable with:	<b>TADA ALL</b>





Per/For **CASIT** Modello/Model **MPSTFRC**

Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	 +
Duplicabile con/Duplicable with:	<b>TADA ALL</b>



Per/For **CASIT** Modello/Model **MTE**

Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	 +
Duplicabile con/Duplicable with:	<b>TADA ALL</b>





Per/For **CASIT** Modello/Model **VTM**

Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	 +
Duplicabile con/Duplicable with:	<b>TADA ALL</b>



Per/For **CELINSA** Modello/Model **C-2**


Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	286.00 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL</b>




I marchi originali indicati non sono di proprietà di Keyline S.p.A. che non rivendica alcun diritto su di essi. L'indicazione dei marchi ha il solo scopo di permettere l'individuazione della compatibilità dei ricambi. Keyline S.p.A. non ha nessun legame commerciale con le aziende proprietarie dei marchi o con le aziende ad esse collegate. The original brands indicated here don't belong to Keyline S.p.A. that does not claim any rights about them. The indication of the brands just has the purpose to allow spotting the spare parts compatibility. Keyline S.p.A. has not got any commercial bond with the company's owners of the brands or with companies cooperating with them.


# GUIDA ILLUSTRATA DEI MODELLI COMPATIBILI ILLUSTRATED GUIDE OF COMPATIBLE MODELS


Per/For **CELINSA** Modello/Model **DW-2**




Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL TADA 2 / TADA 4</b>


Per/For **CELINSA** Modello/Model **ME**




Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	287.00 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL</b>

Per/For **CELINSA** Modello/Model **ME-B**




Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	287.00 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL</b>


Per/For **CELINSA** Modello/Model **MOVECODE**



Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL</b>

Per/For **CELINSA** Modello/Model **RW-2**




Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL TADA 2 / TADA 4</b>


Per/For **CELINSA** Modello/Model **SAW**




Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL TADA 2 / TADA 4</b>


Per/For **CELINSA** Modello/Model **SE**




Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	287.00 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL</b>


Per/For **CELINSA** Modello/Model **SE-1**




Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	302.00 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL</b>


Per/For **CELINSA** Modello/Model **SE-1B**



Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	302.00 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL</b>

Per/For **CELINSA** Modello/Model **SE-B**



Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	287.00 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL</b>

I marchi originali indicati non sono di proprietà di Keyline S.p.A. che non rivendica alcun diritto su di essi. L'indicazione dei marchi ha il solo scopo di permettere l'individuazione della compatibilità dei ricambi. Keyline S.p.A. non ha nessun legame commerciale con le aziende proprietarie dei marchi o con le aziende ad esse collegate. The original brands indicated here don't belong to Keyline S.p.A. that does not claim any rights about them. The indication of the brands just has the purpose to allow spotting the spare parts compatibility. Keyline S.p.A. has not got any commercial bond with the company's owners of the brands or with companies cooperating with them.

Per/For **CELINSA** Modello/Model **X-2**



Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL</b>

Per/For **CELINSA** Modello/Model **Z-2**




Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	868.36 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL</b>


Per/For **CHAMBERLAIN** Modello/Model **132B2372**



Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL</b>

Per/For **CHAMBERLAIN** Modello/Model **1A5477**



Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL</b>

Per/For **CHAMBERLAIN** Modello/Model **1A5639-7**




Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL</b>

Per/For **CHAMBERLAIN** Modello/Model **371 LM**




Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	315.00 MHz
Programmazione/Programming:	 + ALSO
Duplicabile con/Duplicable with:	<b>TADA ALL</b>


Per/For **CHAMBERLAIN** Modello/Model **4335EML**



Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL</b> <b>TADA 2 / TADA 4</b>

Per/For **CHAMBERLAIN** Modello/Model **433EML**



Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL</b> <b>TADA 2 / TADA 4</b>

Per/For **CHAMBERLAIN** Modello/Model **84330E**



Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL</b>

Per/For **CHAMBERLAIN** Modello/Model **84330EML**



Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL</b>

I marchi originali indicati non sono di proprietà di Keyline S.p.A. che non rivendica alcun diritto su di essi. L'indicazione dei marchi ha il solo scopo di permettere l'individuazione della compatibilità dei ricambi. Keyline S.p.A. non ha nessun legame commerciale con le aziende proprietarie dei marchi o con le aziende ad esse collegate. The original brands indicated here don't belong to Keyline S.p.A. that does not claim any rights about them. The indication of the brands just has the purpose to allow spotting the spare parts compatibility. Keyline S.p.A. has not got any commercial bond with the company's owners of the brands or with companies cooperating with them.

# GUIDA ILLUSTRATA DEI MODELLI COMPATIBILI ILLUSTRATED GUIDE OF COMPATIBLE MODELS

Per/For **CHAMBERLAIN** Modello/Model **84333EML**



Codifica/  
Coding ROLLING CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **CHAMBERLAIN** Modello/Model **84335EML**



Codifica/  
Coding ROLLING CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **CHAMBERLAIN** Modello/Model **8747EML**



Codifica/  
Coding ROLLING CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **CHAMBERLAIN** Modello/Model **94330EML**



Codifica/  
Coding ROLLING CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **CHAMBERLAIN** Modello/Model **94333E**



Codifica/  
Coding ROLLING CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **CHAMBERLAIN** Modello/Model **94333EML**



Codifica/  
Coding ROLLING CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **CHAMBERLAIN** Modello/Model **94334CE**



Codifica/  
Coding ROLLING CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **CHAMBERLAIN** Modello/Model **94334E**



Codifica/  
Coding ROLLING CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **CHAMBERLAIN** Modello/Model **94335E**



Codifica/  
Coding ROLLING CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **CHAMBERLAIN** Modello/Model **94335EML**



Codifica/  
Coding ROLLING CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

I marchi originali indicati non sono di proprietà di Keyline S.p.A. che non rivendica alcun diritto su di essi. L'indicazione dei marchi ha il solo scopo di permettere l'individuazione della compatibilità dei ricambi. Keyline S.p.A. non ha nessun legame commerciale con le aziende proprietarie dei marchi o con le aziende ad esse collegate. The original brands indicated here don't belong to Keyline S.p.A. that does not claim any rights about them. The indication of the brands just has the purpose to allow spotting the spare parts compatibility. Keyline S.p.A. has not got any commercial bond with the company's owners of the brands or with companies cooperating with them.

Per/For **CHAMBERLAIN** Modello/Model **953ESTD**



Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	310.00 MHz
Programmazione/Programming:	 + ALSO
Duplicabile con/Duplicable with:	<b>TADA ALL</b>

Per/For **CHAMBERLAIN** Modello/Model **953ESTD**




Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	315.00 MHz
Programmazione/Programming:	 + ALSO
Duplicabile con/Duplicable with:	<b>TADA ALL</b>

Per/For **CHAMBERLAIN** Modello/Model **953ESTD**



Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	390.00 MHz
Programmazione/Programming:	 + ALSO
Duplicabile con/Duplicable with:	<b>TADA ALL</b>

Per/For **CHAMBERLAIN** Modello/Model **971 LM**



Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	390.00 MHz
Programmazione/Programming:	 + ALSO
Duplicabile con/Duplicable with:	<b>TADA ALL</b>

Per/For **CHAMBERLAIN** Modello/Model **9747E**




Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	 + 
Duplicabile con/Duplicable with:	<b>TADA ALL</b>


Per/For **CHAMBERLAIN** Modello/Model **G4330E**



Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL</b> <b>TADA 2 / TADA 4</b>

Per/For **CIMESA** Modello/Model **EM**




Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	352.00 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL</b>


Per/For **CLEMSA** Modello/Model **D**




Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	288.00 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL</b>


Per/For **CLEMSA** Modello/Model **DIGICODE MH**



Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL</b> <b>TADA 2 / TADA 4</b>

Per/For **CLEMSA** Modello/Model **E**



Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	287.00 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL</b>

I marchi originali indicati non sono di proprietà di Keyline S.p.A. che non rivendica alcun diritto su di essi. L'indicazione dei marchi ha il solo scopo di permettere l'individuazione della compatibilità dei ricambi. Keyline S.p.A. non ha nessun legame commerciale con le aziende proprietarie dei marchi o con le aziende ad esse collegate. The original brands indicated here don't belong to Keyline S.p.A. that does not claim any rights about them. The indication of the brands just has the purpose to allow spotting the spare parts compatibility. Keyline S.p.A. has not got any commercial bond with the company's owners of the brands or with companies cooperating with them.

# GUIDA ILLUSTRATA DEI MODELLI COMPATIBILI ILLUSTRATED GUIDE OF COMPATIBLE MODELS

Per/For **CLEMSA** Modello/Model **E-300**



Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	286.00 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL</b>

Per/For **CLEMSA** Modello/Model **E-600**



Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	286.00 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL</b>

Per/For **CLEMSA** Modello/Model **E-CODE N**



Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	868.36 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL</b>

Per/For **CLEMSA** Modello/Model **E20**




Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	288.00 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL</b>


Per/For **CLEMSA** Modello/Model **EM**



Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	288.00 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL</b>

Per/For **CLEMSA** Modello/Model **FA**



Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	306.00 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL</b>

Per/For **CLEMSA** Modello/Model **M-60**




Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	288.00 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL</b>


Per/For **CLEMSA** Modello/Model **MASTERCODE**




Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL</b> <b>TADA 2 / TADA 4</b>


Per/For **CLEMSA** Modello/Model **MH**



Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL</b> <b>TADA 2 / TADA 4</b>


Per/For **CLEMSA** Modello/Model **MH-E**




Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL</b> <b>TADA 2 / TADA 4</b>


I marchi originali indicati non sono di proprietà di Keyline S.p.A. che non rivendica alcun diritto su di essi. L'indicazione dei marchi ha il solo scopo di permettere l'individuazione della compatibilità dei ricambi. Keyline S.p.A. non ha nessun legame commerciale con le aziende proprietarie dei marchi o con le aziende ad esse collegate. The original brands indicated here don't belong to Keyline S.p.A. that does not claim any rights about them. The indication of the brands just has the purpose to allow spotting the spare parts compatibility. Keyline S.p.A. has not got any commercial bond with the company's owners of the brands or with companies cooperating with them.


Per/For **CLEMSA** Modello/Model **MT**




Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	287.00 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL</b>


Per/For **CLEMSA** Modello/Model **MT-X**



Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	287.00 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL</b>


Per/For **CLEMSA** Modello/Model **MT-Y**



Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	302.00 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL</b>

Per/For **CLEMSA** Modello/Model **MT-Z**




Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	302.00 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL</b>


Per/For **CLEMSA** Modello/Model **MUTANCODE**




Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL</b>


Per/For **CLEMSA** Modello/Model **T**



Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL</b>


Per/For **CLEMSA** Modello/Model **T-8**




Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	868.36 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL</b>


Per/For **DASPI** Modello/Model **ZERO RC**



Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL</b>

Per/For **DEA SYSTEM** Modello/Model **306**



Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	306.00 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL</b>

Per/For **DEA SYSTEM** Modello/Model **GENIE R 273**



Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL</b>

I marchi originali indicati non sono di proprietà di Keyline S.p.A. che non rivendica alcun diritto su di essi. L'indicazione dei marchi ha il solo scopo di permettere l'individuazione della compatibilità dei ricambi. Keyline S.p.A. non ha nessun legame commerciale con le aziende proprietarie dei marchi o con le aziende ad esse collegate. The original brands indicated here don't belong to Keyline S.p.A. that does not claim any rights about them. The indication of the brands just has the purpose to allow spotting the spare parts compatibility. Keyline S.p.A. has not got any commercial bond with the company's owners of the brands or with companies cooperating with them.

# GUIDA ILLUSTRATA DEI MODELLI COMPATIBILI ILLUSTRATED GUIDE OF COMPATIBLE MODELS

Per/For **DEA SYSTEM** Modello/Model **GENIE S**



Codifica/  
Coding **FIXED CODE**

Frequenza/  
Frequency **433.92 MHz**

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**  
**TADA 2 / TADA 4**

Per/For **DEA SYSTEM** Modello/Model **GENIE S 263L**



Codifica/  
Coding **FIXED CODE**

Frequenza/  
Frequency **433.92 MHz**

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**  
**TADA 2 / TADA 4**

Per/For **DEA SYSTEM** Modello/Model **GOLD306**



Codifica/  
Coding **FIXED CODE**

Frequenza/  
Frequency **306.00 MHz**

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **DEA SYSTEM** Modello/Model **GOLDR**



Codifica/  
Coding **ROLLING CODE**

Frequenza/  
Frequency **433.92 MHz**

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **DEA SYSTEM** Modello/Model **GOLDS**



Codifica/  
Coding **FIXED CODE**

Frequenza/  
Frequency **433.92 MHz**

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**  
**TADA 2 / TADA 4**

Per/For **DEA SYSTEM** Modello/Model **MIO TD**



Codifica/  
Coding **FIXED CODE**

Frequenza/  
Frequency **433.92 MHz**

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**  
**TADA 2 / TADA 4**

Per/For **DEA SYSTEM** Modello/Model **MIO TR**



Codifica/  
Coding **ROLLING CODE**

Frequenza/  
Frequency **433.92 MHz**

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **DEA SYSTEM** Modello/Model **PUNTO 268**



Codifica/  
Coding **FIXED CODE**

Frequenza/  
Frequency **433.92 MHz**

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**  
**TADA 2 / TADA 4**

Per/For **DEA SYSTEM** Modello/Model **PUNTO 278**



Codifica/  
Coding **ROLLING CODE**

Frequenza/  
Frequency **433.92 MHz**

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **DELMA**



Modello/Model **APOLLO-300-4**

Codifica/  
Coding **FIXED CODE**

Frequenza/  
Frequency **300.00 MHz**

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**


I marchi originali indicati non sono di proprietà di Keyline S.p.A. che non rivendica alcun diritto su di essi. L'indicazione dei marchi ha il solo scopo di permettere l'individuazione della compatibilità dei ricambi. Keyline S.p.A. non ha nessun legame commerciale con le aziende proprietarie dei marchi o con le aziende ad esse collegate. The original brands indicated here don't belong to Keyline S.p.A. that does not claim any rights about them. The indication of the brands just has the purpose to allow spotting the spare parts compatibility. Keyline S.p.A. has not got any commercial bond with the company's owners of the brands or with companies cooperating with them.




Per/For **DELMA**      Modello/Model **APOLLO-433-4**

Codifica/  
Coding                      **FIXED CODE**

Frequenza/  
Frequency                 **433.92 MHz**

Programmazione/Programming:  


Duplicabile con/Duplicable with:  
**TADA ALL**  
**TADA 2 / TADA 4**



Per/For **DELMA**      Modello/Model **APOLLO-433-4-NEW**

Codifica/  
Coding                      **FIXED CODE**

Frequenza/  
Frequency                 **433.92 MHz**

Programmazione/Programming:  


Duplicabile con/Duplicable with:  
**TADA ALL**  
**TADA 2 / TADA 4**



Per/For **DELMA**      Modello/Model **KING-433**

Codifica/  
Coding                      **FIXED CODE**

Frequenza/  
Frequency                 **433.92 MHz**

Programmazione/Programming:  


Duplicabile con/Duplicable with:  
**TADA ALL**  
**TADA 2 / TADA 4**



Per/For **DELMA**      Modello/Model **MIZ-300**

Codifica/  
Coding                      **FIXED CODE**

Frequenza/  
Frequency                 **300.00 MHz**

Programmazione/Programming:  



Duplicabile con/Duplicable with:  
**TADA ALL**



Per/For **DELMA**      Modello/Model **MIZ-433**

Codifica/  
Coding                      **FIXED CODE**

Frequenza/  
Frequency                 **433.92 MHz**

Programmazione/Programming:  



Duplicabile con/Duplicable with:  
**TADA ALL**  
**TADA 2 / TADA 4**




Per/For **DICKERT**      Modello/Model **HS-868**

Codifica/  
Coding                      **FIXED CODE**

Frequenza/  
Frequency                 **868.36 MHz**

Programmazione/Programming:  



Duplicabile con/Duplicable with:  
**TADA ALL**




Per/For **DICKERT**      Modello/Model **HS-868 GREY**

Codifica/  
Coding                      **FIXED CODE**

Frequenza/  
Frequency                 **868.36 MHz**

Programmazione/Programming:  


Duplicabile con/Duplicable with:  
**TADA ALL**



Per/For **DICKERT**      Modello/Model **IAMS-433**

Codifica/  
Coding                      **FIXED CODE**

Frequenza/  
Frequency                 **433.92 MHz**

Programmazione/Programming:  



Duplicabile con/Duplicable with:  
**TADA ALL**  
**TADA 2 / TADA 4**




Per/For **DICKERT**      Modello/Model **MAHS433**

Codifica/  
Coding                      **FIXED CODE**

Frequenza/  
Frequency                 **433.92 MHz**

Programmazione/Programming:  



Duplicabile con/Duplicable with:  
**TADA ALL**  
**TADA 2 / TADA 4**




Per/For **DICKERT**      Modello/Model **S10 AL**

Codifica/  
Coding                      **FIXED CODE**

Frequenza/  
Frequency                 **433.92 MHz**

Programmazione/Programming:  



Duplicabile con/Duplicable with:  
**TADA ALL**  
**TADA 2 / TADA 4**




I marchi originali indicati non sono di proprietà di Keyline S.p.A. che non rivendica alcun diritto su di essi. L'indicazione dei marchi ha il solo scopo di permettere l'individuazione della compatibilità dei ricambi. Keyline S.p.A. non ha nessun legame commerciale con le aziende proprietarie dei marchi o con le aziende ad esse collegate. The original brands indicated here don't belong to Keyline S.p.A. that does not claim any rights about them. The indication of the brands just has the purpose to allow spotting the spare parts compatibility. Keyline S.p.A. has not got any commercial bond with the company's owners of the brands or with companies cooperating with them.


# GUIDA ILLUSTRATA DEI MODELLI COMPATIBILI ILLUSTRATED GUIDE OF COMPATIBLE MODELS


Per/For **DICKERT** Modello/Model **S10 AL**




Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	868.36 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL</b>


Per/For **DICKERT** Modello/Model **S10-433-AL**




Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL</b> <b>TADA 2 / TADA 4</b>


Per/For **DICKERT** Modello/Model **S20-433-AL**



Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL</b> <b>TADA 2 / TADA 4</b>

Per/For **DICKERT** Modello/Model **S20-868-AL**




Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	868.36 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL</b>


Per/For **DICKERT** Modello/Model **S5-433-AL**



Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL</b> <b>TADA 2 / TADA 4</b>

Per/For **DICKERT** Modello/Model **S5-868-AL**



Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	868.36 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL</b>

Per/For **DITEC** Modello/Model **BIX LG4**



Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	 +ALSO
Duplicabile con/Duplicable with:	<b>TADA ALL</b>

Per/For **DITEC** Modello/Model **BIX LP2**



Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	 +ALSO
Duplicabile con/Duplicable with:	<b>TADA ALL</b>

Per/For **DITEC** Modello/Model **BIX LS2**



Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL</b> <b>TADA 2 / TADA 4</b>

Per/For **DITEC** Modello/Model **GOL4**



Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	 +ALSO
Duplicabile con/Duplicable with:	<b>TADA ALL</b>

I marchi originali indicati non sono di proprietà di Keyline S.p.A. che non rivendica alcun diritto su di essi. L'indicazione dei marchi ha il solo scopo di permettere l'individuazione della compatibilità dei ricambi. Keyline S.p.A. non ha nessun legame commerciale con le aziende proprietarie dei marchi o con le aziende ad esse collegate. The original brands indicated here don't belong to Keyline S.p.A. that does not claim any rights about them. The indication of the brands just has the purpose to allow spotting the spare parts compatibility. Keyline S.p.A. has not got any commercial bond with the company's owners of the brands or with companies cooperating with them.

Per/For **DITEC** Modello/Model **GOL4C**

Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	

Duplicabile con/Duplicable with:  
**TADA ALL**  
**TADA 2 / TADA 4**




Per/For **DOORHAN** Modello/Model **TRANSMITTER 4**

Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	

Duplicabile con/Duplicable with:  
**TADA ALL**



Per/For **DOORMATIC** Modello/Model **AM-300**

Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	300.00 MHz
Programmazione/Programming:	

Duplicabile con/Duplicable with:  
**TADA ALL**



Per/For **DOORMATIC** Modello/Model **AZ-433**

Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	

Duplicabile con/Duplicable with:  
**TADA ALL**  
**TADA 2 / TADA 4**



Per/For **DOORMATIC** Modello/Model **EURO**

Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	

Duplicabile con/Duplicable with:  
**TADA ALL**  
**TADA 2 / TADA 4**




Per/For **DUCATI** Modello/Model **TE2**

Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	

Duplicabile con/Duplicable with:  
**TADA ALL**  
**TADA 2 / TADA 4**




Per/For **DUCATI** Modello/Model **TPR**

Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	


Duplicabile con/Duplicable with:  
**TADA ALL**  
**TADA 2 / TADA 4**



Per/For **DUCATI** Modello/Model **TSAW**

Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	

Duplicabile con/Duplicable with:  
**TADA ALL**  
**TADA 2 / TADA 4**




Per/For **DUCATI** Modello/Model **TSAWN**

Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	


Duplicabile con/Duplicable with:  
**TADA ALL**  
**TADA 2 / TADA 4**



Per/For **ECOSTAR** Modello/Model **40**

Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	

Duplicabile con/Duplicable with:  
**TADA ALL**  
**TADA 2 / TADA 4**



I marchi originali indicati non sono di proprietà di Keyline S.p.A. che non rivendica alcun diritto su di essi. L'indicazione dei marchi ha il solo scopo di permettere l'individuazione della compatibilità dei ricambi. Keyline S.p.A. non ha nessun legame commerciale con le aziende proprietarie dei marchi o con le aziende ad esse collegate. The original brands indicated here don't belong to Keyline S.p.A. that does not claim any rights about them. The indication of the brands just has the purpose to allow spotting the spare parts compatibility. Keyline S.p.A. has not got any commercial bond with the company's owners of the brands or with companies cooperating with them.

DITEC - DOORHAN - DOORMATIC - DUCATI - ECOSTAR

# GUIDA ILLUSTRATA DEI MODELLI COMPATIBILI ILLUSTRATED GUIDE OF COMPATIBLE MODELS

Per/For **ECOSTAR**



Modello/Model **RSC**

Codifica/  
Coding ROLLING CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **ECOSTAR**



Modello/Model **RSE**

Codifica/  
Coding ROLLING CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **ECOSTAR**



Modello/Model **RSZ**

Codifica/  
Coding ROLLING CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **ELBE**



Modello/Model **50**

Codifica/  
Coding FIXED CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**  
**TADA 2 / TADA 4**

Per/For **ELEMAT**



Modello/Model **TRINARY**

Codifica/  
Coding FIXED CODE

Frequenza/  
Frequency 310.00 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **ELKA**



Modello/Model **SKX**

Codifica/  
Coding FIXED CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**  
**TADA 2 / TADA 4**

Per/For **EMFA**



Modello/Model **BINARY**

Codifica/  
Coding FIXED CODE

Frequenza/  
Frequency 310.00 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **EMFA**



Modello/Model **TRINARY**

Codifica/  
Coding FIXED CODE

Frequenza/  
Frequency 310.00 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **ERREKA**



Modello/Model **BARR**

Codifica/  
Coding FIXED CODE

Frequenza/  
Frequency 340.00 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **ERREKA**



Modello/Model **BM**

Codifica/  
Coding FIXED CODE

Frequenza/  
Frequency 287.00 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

ECOSTAR - ELBE - ELEMAT -  
ELKA - EMFA - ERREKA

I marchi originali indicati non sono di proprietà di Keyline S.p.A. che non rivendica alcun diritto su di essi. L'indicazione dei marchi ha il solo scopo di permettere l'individuazione della compatibilità dei ricambi. Keyline S.p.A. non ha nessun legame commerciale con le aziende proprietarie dei marchi o con le aziende ad esse collegate. The original brands indicated here don't belong to Keyline S.p.A. that does not claim any rights about them. The indication of the brands just has the purpose to allow spotting the spare parts compatibility. Keyline S.p.A. has not got any commercial bond with the company's owners of the brands or with companies cooperating with them.

Per/For **ERREKA**      Modello/Model **CEME**

Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	288.00 MHz
Programmazione/Programming:	

Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **ERREKA**      Modello/Model **CLEM**

Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	287.00 MHz
Programmazione/Programming:	

Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **ERREKA**      Modello/Model **CLMX**

Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	288.00 MHz
Programmazione/Programming:	

Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **ERREKA**      Modello/Model **CLMY**

Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	302.00 MHz
Programmazione/Programming:	


Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **ERREKA**      Modello/Model **CYJC**

Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	290.00 MHz
Programmazione/Programming:	


Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **ERREKA**      Modello/Model **IRIS**

Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	

Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **ERREKA**      Modello/Model **IRIS**

Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	868.36 MHz
Programmazione/Programming:	

Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **ERREKA**      Modello/Model **JC**

Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	290.00 MHz
Programmazione/Programming:	

Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **ERREKA**      Modello/Model **JJM**

Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	290.00 MHz
Programmazione/Programming:	

Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **ERREKA**      Modello/Model **LUNA**

Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	

Duplicabile con/Duplicable with:  
**TADA ALL**  
**TADA 2 / TADA 4**

I marchi originali indicati non sono di proprietà di Keyline S.p.A. che non rivendica alcun diritto su di essi. L'indicazione dei marchi ha il solo scopo di permettere l'individuazione della compatibilità dei ricambi. Keyline S.p.A. non ha nessun legame commerciale con le aziende proprietarie dei marchi o con le aziende ad esse collegate. The original brands indicated here don't belong to Keyline S.p.A. that does not claim any rights about them. The indication of the brands just has the purpose to allow spotting the spare parts compatibility. Keyline S.p.A. has not got any commercial bond with the company's owners of the brands or with companies cooperating with them.

# GUIDA ILLUSTRATA DEI MODELLI COMPATIBILI ILLUSTRATED GUIDE OF COMPATIBLE MODELS

Per/For **ERREKA**      Modello/Model **MATZ**



Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	330.00 MHz
Programmazione/Programming:	

Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **ERREKA**      Modello/Model **MATZ AZUL**



Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	330.00 MHz
Programmazione/Programming:	

Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **ERREKA**      Modello/Model **MC**



Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	

Duplicabile con/Duplicable with:  
**TADA ALL**  
**TADA 2 / TADA 4**

Per/For **ERREKA**      Modello/Model **MT**



Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	290.00 MHz
Programmazione/Programming:	

Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **ERREKA**      Modello/Model **RESON 2**



Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	

Duplicabile con/Duplicable with:  
**TADA ALL**  
**TADA 2 / TADA 4**

Per/For **ERREKA**      Modello/Model **RESON 4**



Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	

Duplicabile con/Duplicable with:  
**TADA ALL**  
**TADA 2 / TADA 4**

Per/For **ERREKA**      Modello/Model **RLT**



Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	330.00 MHz
Programmazione/Programming:	

Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **ERREKA**      Modello/Model **ROLLER 2**



Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	

Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **ERREKA**      Modello/Model **ROLLER 2 868**



Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	868.36 MHz
Programmazione/Programming:	

Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **ERREKA**      Modello/Model **ROLLER 4 868**



Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	868.36 MHz
Programmazione/Programming:	

Duplicabile con/Duplicable with:  
**TADA ALL**

I marchi originali indicati non sono di proprietà di Keyline S.p.A. che non rivendica alcun diritto su di essi. L'indicazione dei marchi ha il solo scopo di permettere l'individuazione della compatibilità dei ricambi. Keyline S.p.A. non ha nessun legame commerciale con le aziende proprietarie dei marchi o con le aziende ad esse collegate. The original brands indicated here don't belong to Keyline S.p.A. that does not claim any rights about them. The indication of the brands just has the purpose to allow spotting the spare parts compatibility. Keyline S.p.A. has not got any commercial bond with the company's owners of the brands or with companies cooperating with them.

Per/For **ERREKA**      Modello/Model **SGOX**

Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	

Duplicabile con/Duplicable with:  
**TADA ALL**  
**TADA 2 / TADA 4**

Per/For **ERREKA**      Modello/Model **SMAT**

Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	

Duplicabile con/Duplicable with:  
**TADA ALL**  
**TADA 2 / TADA 4**

Per/For **ERREKA**      Modello/Model **SOL433**

Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	


Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **ERREKA**      Modello/Model **SOL868**

Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	868.36 MHz
Programmazione/Programming:	


Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **ERREKA**      Modello/Model **VEGA 433**

Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	

Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **ERREKA**      Modello/Model **VEGA 868**

Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	868.36 MHz
Programmazione/Programming:	

Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **FAAC**      Modello/Model **418 SL**

Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	418.00 MHz
Programmazione/Programming:	

Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **FAAC**      Modello/Model **DL868SLH**

Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	868.36 MHz
Programmazione/Programming:	


Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **FAAC**      Modello/Model **R40 330 NEW**

Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	330.00 MHz
Programmazione/Programming:	

Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **FAAC**      Modello/Model **R40 330 OLD**

Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	330.00 MHz
Programmazione/Programming:	

Duplicabile con/Duplicable with:  
**TADA ALL**

I marchi originali indicati non sono di proprietà di Keyline S.p.A. che non rivendica alcun diritto su di essi. L'indicazione dei marchi ha il solo scopo di permettere l'individuazione della compatibilità dei ricambi. Keyline S.p.A. non ha nessun legame commerciale con le aziende proprietarie dei marchi o con le aziende ad esse collegate. The original brands indicated here don't belong to Keyline S.p.A. that does not claim any rights about them. The indication of the brands just has the purpose to allow spotting the spare parts compatibility. Keyline S.p.A. has not got any commercial bond with the company's owners of the brands or with companies cooperating with them.

# GUIDA ILLUSTRATA DEI MODELLI COMPATIBILI ILLUSTRATED GUIDE OF COMPATIBLE MODELS

Per/For **FAAC**



Modello/Model **T433SLH**

Codifica/  
Coding ROLLING CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **FAAC**



Modello/Model **T868SLH**

Codifica/  
Coding ROLLING CODE

Frequenza/  
Frequency 868.36 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **FAAC**



Modello/Model **TE433HG**

Codifica/  
Coding ROLLING CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **FAAC**



Modello/Model **TM300**

Codifica/  
Coding FIXED CODE

Frequenza/  
Frequency 330.00 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **FAAC**



Modello/Model **TM315**

Codifica/  
Coding FIXED CODE

Frequenza/  
Frequency 315.00 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **FAAC**



Modello/Model **TML433SLH**

Codifica/  
Coding ROLLING CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **FAAC**



Modello/Model **TML433SLR**

Codifica/  
Coding FIXED CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**  
**TADA 2 / TADA 4**

Per/For **FAAC**



Modello/Model **XT433RC**

Codifica/  
Coding ROLLING CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **FAAC**



Modello/Model **XT433SLH**

Codifica/  
Coding ROLLING CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **FAAC**



Modello/Model **XT868SLH**

Codifica/  
Coding ROLLING CODE

Frequenza/  
Frequency 868.36 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

I marchi originali indicati non sono di proprietà di Keyline S.p.A. che non rivendica alcun diritto su di essi. L'indicazione dei marchi ha il solo scopo di permettere l'individuazione della compatibilità dei ricambi. Keyline S.p.A. non ha nessun legame commerciale con le aziende proprietarie dei marchi o con le aziende ad esse collegate. The original brands indicated here don't belong to Keyline S.p.A. that does not claim any rights about them. The indication of the brands just has the purpose to allow spotting the spare parts compatibility. Keyline S.p.A. has not got any commercial bond with the company's owners of the brands or with companies cooperating with them.



Per/For **FADINI**      Modello/Model **ASTRO 433**

Codifica/  
Coding      **FIXED CODE**

Frequenza/  
Frequency      **433.92 MHz**

Programmazione/Programming:  


Duplicabile con/Duplicable with:  
**TADA ALL**  
**TADA 2 / TADA 4**



Per/For **FADINI**      Modello/Model **ASTRO 433M**

Codifica/  
Coding      **FIXED CODE**

Frequenza/  
Frequency      **433.92 MHz**

Programmazione/Programming:  


Duplicabile con/Duplicable with:  
**TADA ALL**  
**TADA 2 / TADA 4**



Per/For **FADINI**      Modello/Model **JUBI 433**

Codifica/  
Coding      **ROLLING CODE**

Frequenza/  
Frequency      **433.92 MHz**

Programmazione/Programming:  


Duplicabile con/Duplicable with:  
**TADA ALL**



Per/For **FADINI**      Modello/Model **JUBI SMALL**

Codifica/  
Coding      **ROLLING CODE**

Frequenza/  
Frequency      **433.92 MHz**

Programmazione/Programming:  


Duplicabile con/Duplicable with:  
**TADA ALL**



Per/For **FERPORT**      Modello/Model **TAC80**

Codifica/  
Coding      **FIXED CODE**

Frequenza/  
Frequency      **868.36 MHz**

Programmazione/Programming:  



Duplicabile con/Duplicable with:  
**TADA ALL**




Per/For **FORSA**      Modello/Model **TRIEME**

Codifica/  
Coding      **FIXED CODE**

Frequenza/  
Frequency      **288.00 MHz**

Programmazione/Programming:  


Duplicabile con/Duplicable with:  
**TADA ALL**



Per/For **FORSA**      Modello/Model **TX26**

Codifica/  
Coding      **FIXED CODE**

Frequenza/  
Frequency      **288.00 MHz**

Programmazione/Programming:  


Duplicabile con/Duplicable with:  
**TADA ALL**



Per/For **GENIUS**      Modello/Model **AMIGO**

Codifica/  
Coding      **ROLLING CODE**

Frequenza/  
Frequency      **868.36 MHz**

Programmazione/Programming:  


Duplicabile con/Duplicable with:  
**TADA ALL**



Per/For **GENIUS**      Modello/Model **AMIGOLD**

Codifica/  
Coding      **ROLLING CODE**

Frequenza/  
Frequency      **868.36 MHz**

Programmazione/Programming:  



Duplicabile con/Duplicable with:  
**TADA ALL**




Per/For **GENIUS**      Modello/Model **BRAVO**

Codifica/  
Coding      **ROLLING CODE**

Frequenza/  
Frequency      **433.92 MHz**

Programmazione/Programming:  


Duplicabile con/Duplicable with:  
**TADA ALL**



I marchi originali indicati non sono di proprietà di Keyline S.p.A. che non rivendica alcun diritto su di essi. L'indicazione dei marchi ha il solo scopo di permettere l'individuazione della compatibilità dei ricambi. Keyline S.p.A. non ha nessun legame commerciale con le aziende proprietarie dei marchi o con le aziende ad esse collegate. The original brands indicated here don't belong to Keyline S.p.A. that does not claim any rights about them. The indication of the brands just has the purpose to allow spotting the spare parts compatibility. Keyline S.p.A. has not got any commercial bond with the company's owners of the brands or with companies cooperating with them.

# GUIDA ILLUSTRATA DEI MODELLI COMPATIBILI ILLUSTRATED GUIDE OF COMPATIBLE MODELS

Per/For **GENIUS**



Modello/Model **ECHO**

Codifica/  
Coding ROLLING CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **GENIUS**



Modello/Model **JA40**

Codifica/  
Coding FIXED CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**  
**TADA 2 / TADA 4**

Per/For **GENIUS**



Modello/Model **KILO**

Codifica/  
Coding ROLLING CODE

Frequenza/  
Frequency 868.36 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **GIBIDI**



Modello/Model **AU1600**

Codifica/  
Coding ROLLING CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **GIBIDI**



Modello/Model **AU1600 WOOD**

Codifica/  
Coding ROLLING CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **GIBIDI**



Modello/Model **AU1680**

Codifica/  
Coding ROLLING CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **GIBIDI**



Modello/Model **AU1680 WOOD**

Codifica/  
Coding ROLLING CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **GIBIDI**



Modello/Model **DOMINO**

Codifica/  
Coding ROLLING CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **GIBIDI**



Modello/Model **L110**

Codifica/  
Coding FIXED CODE


Frequenza/  
Frequency 305.00 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **GIBIDI**



Modello/Model **TMB**

Codifica/  
Coding FIXED CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:




Duplicabile con/Duplicable with:  
**TADA ALL**  
**TADA 2 / TADA 4**

Per/For **GIBIDI**      Modello/Model **TSM**

Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	306.00 MHz
Programmazione/Programming:	


Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **GULLIVER**      Modello/Model **MDRS**

Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	306.00 MHz
Programmazione/Programming:	

Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **GULLIVER**      Modello/Model **MDW**

Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	


Duplicabile con/Duplicable with:  
**TADA ALL**  
**TADA 2 / TADA 4**

Per/For **HORMANN**      Modello/Model **HS4 868 BS**

Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	868.36 MHz
Programmazione/Programming:	


Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **HORMANN**      Modello/Model **HS868**

Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	868.36 MHz
Programmazione/Programming:	


Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **HORMANN**      Modello/Model **HSE 433**

Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	

Duplicabile con/Duplicable with:  
**TADA ALL**  
**TADA 2 / TADA 4**

Per/For **HORMANN**      Modello/Model **HSE2 868 BS**

Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	868.36 MHz
Programmazione/Programming:	


Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **HORMANN**      Modello/Model **HSM 40**

Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	868.36 MHz
Programmazione/Programming:	


Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **HORMANN**      Modello/Model **HSM 433**

Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	

Duplicabile con/Duplicable with:  
**TADA ALL**  
**TADA 2 / TADA 4**

Per/For **HORMANN**      Modello/Model **HSP4**

Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	868.36 MHz
Programmazione/Programming:	

Duplicabile con/Duplicable with:  
**TADA ALL**

**GIBIDI -  
GULLIVER - HORMANN**

I marchi originali indicati non sono di proprietà di Keyline S.p.A. che non rivendica alcun diritto su di essi. L'indicazione dei marchi ha il solo scopo di permettere l'individuazione della compatibilità dei ricambi. Keyline S.p.A. non ha nessun legame commerciale con le aziende proprietarie dei marchi o con le aziende ad esse collegate. The original brands indicated here don't belong to Keyline S.p.A. that does not claim any rights about them. The indication of the brands just has the purpose to allow spotting the spare parts compatibility. Keyline S.p.A. has not got any commercial bond with the company's owners of the brands or with companies cooperating with them.

# GUIDA ILLUSTRATA DEI MODELLI COMPATIBILI ILLUSTRATED GUIDE OF COMPATIBLE MODELS

Per/For **JCM**



Modello/Model **BINARY**

Codifica/  
Coding **FIXED CODE**

Frequenza/  
Frequency **290.00 MHz**

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **JCM**



Modello/Model **EB**

Codifica/  
Coding **FIXED CODE**

Frequenza/  
Frequency **310.00 MHz**

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **JCM**



Modello/Model **EF**

Codifica/  
Coding **FIXED CODE**

Frequenza/  
Frequency **290.00 MHz**

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **JCM**



Modello/Model **EM**

Codifica/  
Coding **FIXED CODE**


Frequenza/  
Frequency **284.00 MHz**

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **JCM**



Modello/Model **ET**

Codifica/  
Coding **FIXED CODE**

Frequenza/  
Frequency **290.00 MHz**

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **JCM**



Modello/Model **GO**

Codifica/  
Coding **ROLLING CODE**

Frequenza/  
Frequency **868.36 MHz**

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **JCM**



Modello/Model **GO CUBELLS**

Codifica/  
Coding **ROLLING CODE**

Frequenza/  
Frequency **868.36 MHz**

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **JCM**



Modello/Model **GO DMIL**

Codifica/  
Coding **ROLLING CODE**

Frequenza/  
Frequency **868.36 MHz**

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **JCM**



Modello/Model **GO FORSA**

Codifica/  
Coding **ROLLING CODE**

Frequenza/  
Frequency **868.36 MHz**

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **JCM**



Modello/Model **GO GIBIDI**

Codifica/  
Coding **ROLLING CODE**

Frequenza/  
Frequency **868.36 MHz**

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **JCM**      Modello/Model **GO HYDOM**

Codifica/  
Coding      ROLLING CODE

Frequenza/  
Frequency      868.36 MHz

Programmazione/Programming:  


Duplicabile con/Duplicable with:  
**TADA ALL**



Per/For **JCM**      Modello/Model **GO NORTON**

Codifica/  
Coding      ROLLING CODE

Frequenza/  
Frequency      868.36 MHz

Programmazione/Programming:  


Duplicabile con/Duplicable with:  
**TADA ALL**




Per/For **JCM**      Modello/Model **GO ROPER**

Codifica/  
Coding      ROLLING CODE

Frequenza/  
Frequency      868.36 MHz

Programmazione/Programming:  


Duplicabile con/Duplicable with:  
**TADA ALL**



Per/For **JCM**      Modello/Model **GO TECH**

Codifica/  
Coding      ROLLING CODE

Frequenza/  
Frequency      868.36 MHz

Programmazione/Programming:  


Duplicabile con/Duplicable with:  
**TADA ALL**



Per/For **JCM**      Modello/Model **MINI GO**

Codifica/  
Coding      ROLLING CODE

Frequenza/  
Frequency      868.36 MHz

Programmazione/Programming:  


Duplicabile con/Duplicable with:  
**TADA ALL**



Per/For **JCM**      Modello/Model **NEO**

Codifica/  
Coding      ROLLING CODE

Frequenza/  
Frequency      433.92 MHz

Programmazione/Programming:  


Duplicabile con/Duplicable with:  
**TADA ALL**



Per/For **JCM**      Modello/Model **NEO DMIL**

Codifica/  
Coding      ROLLING CODE

Frequenza/  
Frequency      433.92 MHz

Programmazione/Programming:  


Duplicabile con/Duplicable with:  
**TADA ALL**




Per/For **JCM**      Modello/Model **NEO EMFA**

Codifica/  
Coding      ROLLING CODE

Frequenza/  
Frequency      433.92 MHz

Programmazione/Programming:  


Duplicabile con/Duplicable with:  
**TADA ALL**



Per/For **JCM**      Modello/Model **NEO FORSA**

Codifica/  
Coding      ROLLING CODE

Frequenza/  
Frequency      433.92 MHz

Programmazione/Programming:  



Duplicabile con/Duplicable with:  
**TADA ALL**




Per/For **JCM**      Modello/Model **NEO PUJOL**

Codifica/  
Coding      ROLLING CODE

Frequenza/  
Frequency      433.92 MHz

Programmazione/Programming:  


Duplicabile con/Duplicable with:  
**TADA ALL**



I marchi originali indicati non sono di proprietà di Keyline S.p.A. che non rivendica alcun diritto su di essi. L'indicazione dei marchi ha il solo scopo di permettere l'individuazione della compatibilità dei ricambi. Keyline S.p.A. non ha nessun legame commerciale con le aziende proprietarie dei marchi o con le aziende ad esse collegate. The original brands indicated here don't belong to Keyline S.p.A. that does not claim any rights about them. The indication of the brands just has the purpose to allow spotting the spare parts compatibility. Keyline S.p.A. has not got any commercial bond with the company's owners of the brands or with companies cooperating with them.

# GUIDA ILLUSTRATA DEI MODELLI COMPATIBILI ILLUSTRATED GUIDE OF COMPATIBLE MODELS

Per/For **JCM**



Modello/Model **NEO ROPER**

Codifica/  
Coding ROLLING CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **JCM**



Modello/Model **NEO SERVIPARKING**

Codifica/  
Coding ROLLING CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **JCM**



Modello/Model **TRIEME**

Codifica/  
Coding FIXED CODE

Frequenza/  
Frequency 320.00 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **JCM**



Modello/Model **TWIN**

Codifica/  
Coding ROLLING CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **KEY**



Modello/Model **900TXB-42R**

Codifica/  
Coding ROLLING CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **KEY**



Modello/Model **SUB 44R**

Codifica/  
Coding ROLLING CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **KEY**



Modello/Model **TXB 44R**

Codifica/  
Coding ROLLING CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **KING GATES** Modello/Model **CLIPPER**



Codifica/  
Coding ROLLING CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **KING GATES** Modello/Model **STYLO**



Codifica/  
Coding ROLLING CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **LABEL**



Modello/Model **SPYCO**

Codifica/  
Coding ROLLING CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

JCM - KEY -  
KING GATES - LABEL

I marchi originali indicati non sono di proprietà di Keyline S.p.A. che non rivendica alcun diritto su di essi. L'indicazione dei marchi ha il solo scopo di permettere l'individuazione della compatibilità dei ricambi. Keyline S.p.A. non ha nessun legame commerciale con le aziende proprietarie dei marchi o con le aziende ad esse collegate. The original brands indicated here don't belong to Keyline S.p.A. that does not claim any rights about them. The indication of the brands just has the purpose to allow spotting the spare parts compatibility. Keyline S.p.A. has not got any commercial bond with the company's owners of the brands or with companies cooperating with them.

Per/For **LEB** Modello/Model **TCP**

Codifica/  
Coding **FIXED CODE**

Frequenza/  
Frequency **433.92 MHz**

Programmazione/Programming:  


Duplicabile con/Duplicable with:  
**TADA ALL**  
**TADA 2 / TADA 4**



Per/For **LEB** Modello/Model **TMW**

Codifica/  
Coding **FIXED CODE**

Frequenza/  
Frequency **433.92 MHz**

Programmazione/Programming:  


Duplicabile con/Duplicable with:  
**TADA ALL**  
**TADA 2 / TADA 4**



Per/For **LIFT MASTER** Modello/Model **132B2372**

Codifica/  
Coding **ROLLING CODE**

Frequenza/  
Frequency **433.92 MHz**

Programmazione/Programming:  


Duplicabile con/Duplicable with:  
**TADA ALL**



Per/For **LIFT MASTER** Modello/Model **1A5477**

Codifica/  
Coding **ROLLING CODE**

Frequenza/  
Frequency **433.92 MHz**

Programmazione/Programming:  


Duplicabile con/Duplicable with:  
**TADA ALL**



Per/For **LIFT MASTER** Modello/Model **1A5639-7**

Codifica/  
Coding **ROLLING CODE**

Frequenza/  
Frequency **433.92 MHz**

Programmazione/Programming:  


Duplicabile con/Duplicable with:  
**TADA ALL**



Per/For **LIFT MASTER** Modello/Model **371 LM**

Codifica/  
Coding **ROLLING CODE**

Frequenza/  
Frequency **315.00 MHz**

Programmazione/Programming:  


Duplicabile con/Duplicable with:  
**TADA ALL**



Per/For **LIFT MASTER** Modello/Model **4335EML**

Codifica/  
Coding **FIXED CODE**

Frequenza/  
Frequency **433.92 MHz**

Programmazione/Programming:  



Duplicabile con/Duplicable with:  
**TADA ALL**  
**TADA 2 / TADA 4**




Per/For **LIFT MASTER** Modello/Model **433EML**

Codifica/  
Coding **FIXED CODE**

Frequenza/  
Frequency **433.92 MHz**

Programmazione/Programming:  


Duplicabile con/Duplicable with:  
**TADA ALL**  
**TADA 2 / TADA 4**



Per/For **LIFT MASTER** Modello/Model **84330E**

Codifica/  
Coding **ROLLING CODE**

Frequenza/  
Frequency **433.92 MHz**

Programmazione/Programming:  


Duplicabile con/Duplicable with:  
**TADA ALL**



Per/For **LIFT MASTER** Modello/Model **84330EML**

Codifica/  
Coding **ROLLING CODE**

Frequenza/  
Frequency **433.92 MHz**

Programmazione/Programming:  


Duplicabile con/Duplicable with:  
**TADA ALL**



I marchi originali indicati non sono di proprietà di Keyline S.p.A. che non rivendica alcun diritto su di essi. L'indicazione dei marchi ha il solo scopo di permettere l'individuazione della compatibilità dei ricambi. Keyline S.p.A. non ha nessun legame commerciale con le aziende proprietarie dei marchi o con le aziende ad esse collegate. The original brands indicated here don't belong to Keyline S.p.A. that does not claim any rights about them. The indication of the brands just has the purpose to allow spotting the spare parts compatibility. Keyline S.p.A. has not got any commercial bond with the company's owners of the brands or with companies cooperating with them.

# GUIDA ILLUSTRATA DEI MODELLI COMPATIBILI ILLUSTRATED GUIDE OF COMPATIBLE MODELS

Per/For **LIFT MASTER** Modello/Model **84333EML**



Codifica/  
Coding ROLLING CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **LIFT MASTER** Modello/Model **84335EML**



Codifica/  
Coding ROLLING CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **LIFT MASTER** Modello/Model **8747EML**



Codifica/  
Coding ROLLING CODE


Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **LIFT MASTER** Modello/Model **94330EML**



Codifica/  
Coding ROLLING CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **LIFT MASTER** Modello/Model **94333E**



Codifica/  
Coding ROLLING CODE


Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **LIFT MASTER** Modello/Model **94333EML**



Codifica/  
Coding ROLLING CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **LIFT MASTER** Modello/Model **94334CE**



Codifica/  
Coding ROLLING CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **LIFT MASTER** Modello/Model **94334E**



Codifica/  
Coding ROLLING CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **LIFT MASTER** Modello/Model **94335E**



Codifica/  
Coding ROLLING CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **LIFT MASTER** Modello/Model **94335EML**



Codifica/  
Coding ROLLING CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**



Per/For **LIFT MASTER** Modello/Model **953ESTD**



Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	310.00 MHz
Programmazione/Programming:	 + ALSO
Duplicabile con/Duplicable with:	<b>TADA ALL</b>

Per/For **LIFT MASTER** Modello/Model **953ESTD**



Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	315.00 MHz
Programmazione/Programming:	 + ALSO
Duplicabile con/Duplicable with:	<b>TADA ALL</b>

Per/For **LIFT MASTER** Modello/Model **953ESTD**



Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	390.00 MHz
Programmazione/Programming:	 + ALSO
Duplicabile con/Duplicable with:	<b>TADA ALL</b>

Per/For **LIFT MASTER** Modello/Model **971 LM**



Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	390.00 MHz
Programmazione/Programming:	 + ALSO
Duplicabile con/Duplicable with:	<b>TADA ALL</b>

Per/For **LIFT MASTER** Modello/Model **9747E**




Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	 + 
Duplicabile con/Duplicable with:	<b>TADA ALL</b>


Per/For **LIFT MASTER** Modello/Model **G4330E**



Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL</b> <b>TADA 2 / TADA 4</b>

Per/For **LINEAR** Modello/Model **LINEAR**



Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	310.00 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL</b>

Per/For **LINEAR** Modello/Model **MEGACODE**



Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	318.00 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL</b>

Per/For **MARANTEC** Modello/Model **21R**



Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL</b> <b>TADA 2 / TADA 4</b>

Per/For **MARANTEC** Modello/Model **D23**



Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL</b> <b>TADA 2 / TADA 4</b>

I marchi originali indicati non sono di proprietà di Keyline S.p.A. che non rivendica alcun diritto su di essi. L'indicazione dei marchi ha il solo scopo di permettere l'individuazione della compatibilità dei ricambi. Keyline S.p.A. non ha nessun legame commerciale con le aziende proprietarie dei marchi o con le aziende ad esse collegate. The original brands indicated here don't belong to Keyline S.p.A. that does not claim any rights about them. The indication of the brands just has the purpose to allow spotting the spare parts compatibility. Keyline S.p.A. has not got any commercial bond with the company's owners of the brands or with companies cooperating with them.

# GUIDA ILLUSTRATA DEI MODELLI COMPATIBILI ILLUSTRATED GUIDE OF COMPATIBLE MODELS

Per/For **MARANTEC** Modello/Model **DIGITAL 21**



Codifica/  
Coding **FIXED CODE**

Frequenza/  
Frequency **433.92 MHz**

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**  
**TADA 2 / TADA 4**

Per/For **MARANTEC** Modello/Model **DIGITAL 30 433**



Codifica/  
Coding **FIXED CODE**

Frequenza/  
Frequency **433.92 MHz**

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**  
**TADA 2 / TADA 4**

Per/For **MARANTEC** Modello/Model **DIGITAL 30 868**



Codifica/  
Coding **FIXED CODE**

Frequenza/  
Frequency **868.36 MHz**

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **MARANTEC** Modello/Model **DIGITAL 32 868**



Codifica/  
Coding **FIXED CODE**

Frequenza/  
Frequency **868.36 MHz**

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **MERLIN 2.0** Modello/Model **E940M**



Codifica/  
Coding **ROLLING CODE**

Frequenza/  
Frequency **433.92 MHz**

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **MERLIN 2.0** Modello/Model **E943M**



Codifica/  
Coding **ROLLING CODE**

Frequenza/  
Frequency **433.92 MHz**

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **MERLIN 2.0** Modello/Model **E945M**



Codifica/  
Coding **ROLLING CODE**

Frequenza/  
Frequency **433.92 MHz**

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **MERLIN** Modello/Model **C940**



Codifica/  
Coding **ROLLING CODE**


Frequenza/  
Frequency **433.92 MHz**

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **MERLIN** Modello/Model **C943**



Codifica/  
Coding **ROLLING CODE**

Frequenza/  
Frequency **433.92 MHz**

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **MERLIN** Modello/Model **C945**



Codifica/  
Coding **ROLLING CODE**

Frequenza/  
Frequency **433.92 MHz**

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **MERLIN** Modello/Model **M842**

Codifica/  
Coding ROLLING CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:  


Duplicabile con/Duplicable with:  
**TADA ALL**



Per/For **MERLIN** Modello/Model **M844**

Codifica/  
Coding ROLLING CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:  



Duplicabile con/Duplicable with:  
**TADA ALL**




Per/For **MHOUSE** Modello/Model **GTX4**

Codifica/  
Coding ROLLING CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:  


Duplicabile con/Duplicable with:  
**TADA ALL**



Per/For **MHOUSE** Modello/Model **MOOVO**

Codifica/  
Coding ROLLING CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:  



Duplicabile con/Duplicable with:  
**TADA ALL**




Per/For **MHOUSE** Modello/Model **TX3**

Codifica/  
Coding ROLLING CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:  


Duplicabile con/Duplicable with:  
**TADA ALL**



Per/For **MHOUSE** Modello/Model **TX4**

Codifica/  
Coding ROLLING CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:  



Duplicabile con/Duplicable with:  
**TADA ALL**



Per/For **MOTOR LIFT** Modello/Model **132B2372**

Codifica/  
Coding ROLLING CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:  



Duplicabile con/Duplicable with:  
**TADA ALL**




Per/For **MOTOR LIFT** Modello/Model **1A5477**

Codifica/  
Coding ROLLING CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:  


Duplicabile con/Duplicable with:  
**TADA ALL**



Per/For **MOTOR LIFT** Modello/Model **1A5639-7**

Codifica/  
Coding ROLLING CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:  


Duplicabile con/Duplicable with:  
**TADA ALL**



Per/For **MOTOR LIFT** Modello/Model **371 LM**

Codifica/  
Coding ROLLING CODE

Frequenza/  
Frequency 315.00 MHz

Programmazione/Programming:  


Duplicabile con/Duplicable with:  
**TADA ALL**



I marchi originali indicati non sono di proprietà di Keyline S.p.A. che non rivendica alcun diritto su di essi. L'indicazione dei marchi ha il solo scopo di permettere l'individuazione della compatibilità dei ricambi. Keyline S.p.A. non ha nessun legame commerciale con le aziende proprietarie dei marchi o con le aziende ad esse collegate. The original brands indicated here don't belong to Keyline S.p.A. that does not claim any rights about them. The indication of the brands just has the purpose to allow spotting the spare parts compatibility. Keyline S.p.A. has not got any commercial bond with the company's owners of the brands or with companies cooperating with them.


# GUIDA ILLUSTRATA DEI MODELLI COMPATIBILI ILLUSTRATED GUIDE OF COMPATIBLE MODELS


Per/For **MOTOR LIFT** Modello/Model **4335EML**



Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL</b> <b>TADA 2 / TADA 4</b>

Per/For **MOTOR LIFT** Modello/Model **433EML**



Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL</b> <b>TADA 2 / TADA 4</b>

Per/For **MOTOR LIFT** Modello/Model **84330E**



Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL</b>

Per/For **MOTOR LIFT** Modello/Model **84330EML**



Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL</b>

Per/For **MOTOR LIFT** Modello/Model **84333EML**



Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL</b>

Per/For **MOTOR LIFT** Modello/Model **84335EML**




Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL</b>


Per/For **MOTOR LIFT** Modello/Model **8747EML**



Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL</b>

Per/For **MOTOR LIFT** Modello/Model **94330EML**




Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL</b>


Per/For **MOTOR LIFT** Modello/Model **94333E**



Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL</b>

Per/For **MOTOR LIFT** Modello/Model **94333EML**



Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL</b>

I marchi originali indicati non sono di proprietà di Keyline S.p.A. che non rivendica alcun diritto su di essi. L'indicazione dei marchi ha il solo scopo di permettere l'individuazione della compatibilità dei ricambi. Keyline S.p.A. non ha nessun legame commerciale con le aziende proprietarie dei marchi o con le aziende ad esse collegate. The original brands indicated here don't belong to Keyline S.p.A. that does not claim any rights about them. The indication of the brands just has the purpose to allow spotting the spare parts compatibility. Keyline S.p.A. has not got any commercial bond with the company's owners of the brands or with companies cooperating with them.

Per/For **MOTOR LIFT** Modello/Model **94334CE**



Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL</b>

Per/For **MOTOR LIFT** Modello/Model **94334E**



Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL</b>

Per/For **MOTOR LIFT** Modello/Model **94335E**



Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL</b>

Per/For **MOTOR LIFT** Modello/Model **94335EML**



Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL</b>

Per/For **MOTOR LIFT** Modello/Model **953ESTD**



Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	310.00 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL</b>

Per/For **MOTOR LIFT** Modello/Model **953ESTD**



Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	315.00 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL</b>

Per/For **MOTOR LIFT** Modello/Model **953ESTD**



Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	390.00 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL</b>

Per/For **MOTOR LIFT** Modello/Model **971 LM**



Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	390.00 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL</b>

Per/For **MOTOR LIFT** Modello/Model **9747E**



Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL</b>

Per/For **MOTOR LIFT** Modello/Model **G4330E**



Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	
Duplicabile con/Duplicable with:	<b>TADA ALL</b> <b>TADA 2 / TADA 4</b>

I marchi originali indicati non sono di proprietà di Keyline S.p.A. che non rivendica alcun diritto su di essi. L'indicazione dei marchi ha il solo scopo di permettere l'individuazione della compatibilità dei ricambi. Keyline S.p.A. non ha nessun legame commerciale con le aziende proprietarie dei marchi o con le aziende ad esse collegate. The original brands indicated here don't belong to Keyline S.p.A. that does not claim any rights about them. The indication of the brands just has the purpose to allow spotting the spare parts compatibility. Keyline S.p.A. has not got any commercial bond with the company's owners of the brands or with companies cooperating with them.

# GUIDA ILLUSTRATA DEI MODELLI COMPATIBILI ILLUSTRATED GUIDE OF COMPATIBLE MODELS

Per/For **NICE**



Modello/Model **EASY S**

Codifica/  
Coding **FIXED CODE**

Frequenza/  
Frequency **306.00 MHz**

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **NICE**



Modello/Model **ERA ONE**

Codifica/  
Coding **ROLLING CODE**

Frequenza/  
Frequency **433.92 MHz**

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **NICE**



Modello/Model **ERA-FLOR**

Codifica/  
Coding **ROLLING CODE**

Frequenza/  
Frequency **433.92 MHz**

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **NICE**



Modello/Model **FLO-R**

Codifica/  
Coding **ROLLING CODE**

Frequenza/  
Frequency **433.92 MHz**

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **NICE**



Modello/Model **INTI**

Codifica/  
Coding **ROLLING CODE**

Frequenza/  
Frequency **433.92 MHz**

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **NICE**



Modello/Model **ONE**

Codifica/  
Coding **ROLLING CODE**

Frequenza/  
Frequency **433.92 MHz**

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **NICE**



Modello/Model **SMILO**

Codifica/  
Coding **ROLLING CODE**

Frequenza/  
Frequency **433.92 MHz**

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **NICE**



Modello/Model **VERY-VR**

Codifica/  
Coding **ROLLING CODE**

Frequenza/  
Frequency **433.92 MHz**

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **NORTON**



Modello/Model **NEO**

Codifica/  
Coding **ROLLING CODE**

Frequenza/  
Frequency **433.92 MHz**

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **NORTON**



Modello/Model **TXE**

Codifica/  
Coding **FIXED CODE**

Frequenza/  
Frequency **433.92 MHz**

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**  
**TADA 2 / TADA 4**

Per/For **NOVOFERM** Modello/Model **M512**

Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	

Duplicabile con/Duplicable with:  
**TADA ALL**  
**TADA 2 / TADA 4**

Per/For **NOVOFERM** Modello/Model **MCHS**

Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	

Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **NOVOFERM** Modello/Model **MICRO-NOVOTRON 502**

Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	

Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **NOVOFERM** Modello/Model **MICRO-NOVOTRON 504**

Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	

Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **NOVOFERM** Modello/Model **MINI-NOVOTRON 502**

Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	

Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **NOVOFERM** Modello/Model **MINI-NOVOTRON 504**

Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	

Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **NOVOFERM** Modello/Model **MNHS**

Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	

Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **NOVOFERM** Modello/Model **NOVOTRON 202 MB**

Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	


Duplicabile con/Duplicable with:  
**TADA ALL**  
**TADA 2 / TADA 4**

Per/For **O&O** Modello/Model **ELIOT**

Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	

Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **O&O** Modello/Model **RAY**

Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	

Duplicabile con/Duplicable with:  
**TADA ALL**

I marchi originali indicati non sono di proprietà di Keyline S.p.A. che non rivendica alcun diritto su di essi. L'indicazione dei marchi ha il solo scopo di permettere l'individuazione della compatibilità dei ricambi. Keyline S.p.A. non ha nessun legame commerciale con le aziende proprietarie dei marchi o con le aziende ad esse collegate. The original brands indicated here don't belong to Keyline S.p.A. that does not claim any rights about them. The indication of the brands just has the purpose to allow spotting the spare parts compatibility. Keyline S.p.A. has not got any commercial bond with the company's owners of the brands or with companies cooperating with them.

# GUIDA ILLUSTRATA DEI MODELLI COMPATIBILI ILLUSTRATED GUIDE OF COMPATIBLE MODELS

Per/For **O&O**



Modello/Model **T.COM R4-2**

Codifica/  
Coding ROLLING CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **O&O**



Modello/Model **T.COM R8-2**

Codifica/  
Coding ROLLING CODE

Frequenza/  
Frequency 868.36 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **O&O**



Modello/Model **TX**

Codifica/  
Coding ROLLING CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **OPENOUT**



Modello/Model **L110**

Codifica/  
Coding FIXED CODE


Frequenza/  
Frequency 305.00 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **OPENOUT**



Modello/Model **TMB**

Codifica/  
Coding FIXED CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**  
**TADA 2 / TADA 4**

Per/For **OPENOUT**



Modello/Model **TSM**

Codifica/  
Coding FIXED CODE

Frequenza/  
Frequency 306.00 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **PECCININ**



Modello/Model **TX MENBRANA**

Codifica/  
Coding ROLLING CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **PORTAMATIC**



Modello/Model **MPH**

Codifica/  
Coding FIXED CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**  
**TADA 2 / TADA 4**

Per/For **PORTAMATIC**



Modello/Model **MP5A**

Codifica/  
Coding FIXED CODE

Frequenza/  
Frequency 289.00 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **PORTAMATIC**



Modello/Model **MP5N**

Codifica/  
Coding FIXED CODE

Frequenza/  
Frequency 306.00 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**



Per/For **PRASTEL** Modello/Model **BFOR**

Codifica/  
Coding ROLLING CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:  
 +ALSO


Duplicabile con/Duplicable with:  
**TADA ALL**




Per/For **PRASTEL** Modello/Model **KMFT**

Codifica/  
Coding FIXED CODE

Frequenza/  
Frequency 306.00 MHz

Programmazione/Programming:  



Duplicabile con/Duplicable with:  
**TADA ALL**




Per/For **PRASTEL** Modello/Model **KMFTP**

Codifica/  
Coding FIXED CODE

Frequenza/  
Frequency 306.00 MHz

Programmazione/Programming:  



Duplicabile con/Duplicable with:  
**TADA ALL**



Per/For **PRASTEL** Modello/Model **MPSTFE**

Codifica/  
Coding ROLLING CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:  
 +ALSO


Duplicabile con/Duplicable with:  
**TADA ALL**




Per/For **PRASTEL** Modello/Model **MPSTFE RE**

Codifica/  
Coding FIXED CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:  



Duplicabile con/Duplicable with:  
**TADA ALL**  
**TADA 2 / TADA 4**




Per/For **PRASTEL** Modello/Model **MPSTFE RJ**

Codifica/  
Coding FIXED CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:  


Duplicabile con/Duplicable with:  
**TADA ALL**  
**TADA 2 / TADA 4**



Per/For **PRASTEL** Modello/Model **MPSTLE**

Codifica/  
Coding ROLLING CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:  
 +ALSO


Duplicabile con/Duplicable with:  
**TADA ALL**




Per/For **PRASTEL** Modello/Model **MPSTP2E**

Codifica/  
Coding ROLLING CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:  
 +ALSO

Duplicabile con/Duplicable with:  
**TADA ALL**



Per/For **PRASTEL** Modello/Model **MTE**

Codifica/  
Coding ROLLING CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:  
 +ALSO

Duplicabile con/Duplicable with:  
**TADA ALL**



Per/For **PRASTEL** Modello/Model **TCE**

Codifica/  
Coding ROLLING CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:  
 +ALSO

Duplicabile con/Duplicable with:  
**TADA ALL**



I marchi originali indicati non sono di proprietà di Keyline S.p.A. che non rivendica alcun diritto su di essi. L'indicazione dei marchi ha il solo scopo di permettere l'individuazione della compatibilità dei ricambi. Keyline S.p.A. non ha nessun legame commerciale con le aziende proprietarie dei marchi o con le aziende ad esse collegate. The original brands indicated here don't belong to Keyline S.p.A. that does not claim any rights about them. The indication of the brands just has the purpose to allow spotting the spare parts compatibility. Keyline S.p.A. has not got any commercial bond with the company's owners of the brands or with companies cooperating with them.

# GUIDA ILLUSTRATA DEI MODELLI COMPATIBILI ILLUSTRATED GUIDE OF COMPATIBLE MODELS

Per/For **PRASTEL**



Modello/Model **TRQ-P**

Codifica/  
Coding ROLLING CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **PROEM**



Modello/Model **ERC-ACD**

Codifica/  
Coding FIXED CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**  
**TADA 2 / TADA 4**

Per/For **PROLIFT**



Modello/Model **C940**

Codifica/  
Coding ROLLING CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **PROLIFT**



Modello/Model **C943**

Codifica/  
Coding ROLLING CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **PROLIFT**



Modello/Model **C945**

Codifica/  
Coding ROLLING CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **PROLIFT**



Modello/Model **M842**

Codifica/  
Coding ROLLING CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **PROLIFT**



Modello/Model **M844**

Codifica/  
Coding ROLLING CODE


Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **PUJOL**



Modello/Model **ET**

Codifica/  
Coding FIXED CODE

Frequenza/  
Frequency 290.00 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **PUJOL**



Modello/Model **NEO**

Codifica/  
Coding ROLLING CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **PUJOL**



Modello/Model **P15**

Codifica/  
Coding FIXED CODE

Frequenza/  
Frequency 290.00 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

PRASTEL - PROEM -  
PROLIFT - PUJOL

I marchi originali indicati non sono di proprietà di Keyline S.p.A. che non rivendica alcun diritto su di essi. L'indicazione dei marchi ha il solo scopo di permettere l'individuazione della compatibilità dei ricambi. Keyline S.p.A. non ha nessun legame commerciale con le aziende proprietarie dei marchi o con le aziende ad esse collegate. The original brands indicated here don't belong to Keyline S.p.A. that does not claim any rights about them. The indication of the brands just has the purpose to allow spotting the spare parts compatibility. Keyline S.p.A. has not got any commercial bond with the company's owners of the brands or with companies cooperating with them.

Per/For **PUJOL**      Modello/Model **TWIN**

Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	 +ALSO
Duplicabile con/Duplicable with:	<b>TADA ALL</b>



Per/For **PUJOL**      Modello/Model **VARIO**

Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	 +ALSO
Duplicabile con/Duplicable with:	<b>TADA ALL</b>



Per/For **PUJOL**      Modello/Model **VARIO MARS**

Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	 +ALSO
Duplicabile con/Duplicable with:	<b>TADA ALL</b>



Per/For **PUJOL**      Modello/Model **VARIO OCEAN**

Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	 +ALSO
Duplicabile con/Duplicable with:	<b>TADA ALL</b>



Per/For **RIB**      Modello/Model **LITHIO**

Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	 + 
Duplicabile con/Duplicable with:	<b>TADA ALL</b>





Per/For **RIB**      Modello/Model **MOON**

Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	 + 
Duplicabile con/Duplicable with:	<b>TADA ALL</b> <b>TADA 2 / TADA 4</b>



Per/For **RIB**      Modello/Model **SUN**

Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	 + 
Duplicabile con/Duplicable with:	<b>TADA ALL</b> <b>TADA 2 / TADA 4</b>



Per/For **ROLLTORE**      Modello/Model **R330**

Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	330.00 MHz
Programmazione/Programming:	 + 
Duplicabile con/Duplicable with:	<b>TADA ALL</b>



Per/For **ROLLTORE**      Modello/Model **R40**

Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	330.00 MHz
Programmazione/Programming:	 + 
Duplicabile con/Duplicable with:	<b>TADA ALL</b>



Per/For **ROLLTORE**      Modello/Model **R40 330 NEW**

Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	330.00 MHz
Programmazione/Programming:	 + 
Duplicabile con/Duplicable with:	<b>TADA ALL</b>



PUJOL -  
RIB - ROLLTORE

I marchi originali indicati non sono di proprietà di Keyline S.p.A. che non rivendica alcun diritto su di essi. L'indicazione dei marchi ha il solo scopo di permettere l'individuazione della compatibilità dei ricambi. Keyline S.p.A. non ha nessun legame commerciale con le aziende proprietarie dei marchi o con le aziende ad esse collegate. The original brands indicated here don't belong to Keyline S.p.A. that does not claim any rights about them. The indication of the brands just has the purpose to allow spotting the spare parts compatibility. Keyline S.p.A. has not got any commercial bond with the company's owners of the brands or with companies cooperating with them.

# GUIDA ILLUSTRATA DEI MODELLI COMPATIBILI ILLUSTRATED GUIDE OF COMPATIBLE MODELS

Per/For **ROPER**



Modello/Model **NEO**

Codifica/  
Coding ROLLING CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **ROPER**



Modello/Model **TRINARY**

Codifica/  
Coding FIXED CODE

Frequenza/  
Frequency 290.00 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **SABUTOM**



Modello/Model **BROOVER**

Codifica/  
Coding ROLLING CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **SABUTOM**



Modello/Model **BROSTAR**

Codifica/  
Coding ROLLING CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **SEA**



Modello/Model **EC 433**

Codifica/  
Coding FIXED CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**  
**TADA 2 / TADA 4**

Per/For **SEAV**



Modello/Model **BE HAPPY RS**

Codifica/  
Coding ROLLING CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **SERAI**



Modello/Model **SER 310**

Codifica/  
Coding FIXED CODE

Frequenza/  
Frequency 310.00 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **SILVELOX**



Modello/Model **MHZ 07 RC**

Codifica/  
Coding ROLLING CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **SILVELOX**



Modello/Model **QUARZ SAW**

Codifica/  
Coding ROLLING CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **SIMINOR**



Modello/Model **CVX**

Codifica/  
Coding FIXED CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**  
**TADA 2 / TADA 4**

ROPER - SABUTOM - SEA - SEAV -  
SERAI - SILVELOX - SIMINOR

I marchi originali indicati non sono di proprietà di Keyline S.p.A. che non rivendica alcun diritto su di essi. L'indicazione dei marchi ha il solo scopo di permettere l'individuazione della compatibilità dei ricambi. Keyline S.p.A. non ha nessun legame commerciale con le aziende proprietarie dei marchi o con le aziende ad esse collegate. The original brands indicated here don't belong to Keyline S.p.A. that does not claim any rights about them. The indication of the brands just has the purpose to allow spotting the spare parts compatibility. Keyline S.p.A. has not got any commercial bond with the company's owners of the brands or with companies cooperating with them.

Per/For **SIMINOR**      Modello/Model **CVXNL**

Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	

Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **SIMINOR**      Modello/Model **MITTO**

Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	

Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **SIMINOR**      Modello/Model **SIM433**

Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	


Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **SOMFY**      Modello/Model **ALARMA**

Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	


Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **SOMFY**      Modello/Model **CVX**

Codifica/ Coding	FIXED CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	

Duplicabile con/Duplicable with:  
**TADA ALL**  
**TADA 2 / TADA 4**

Per/For **SOMFY**      Modello/Model **K-EASY**

Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	


Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **SOMFY**      Modello/Model **K-EASY NEW**

Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	

Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **SOMFY**      Modello/Model **K-EASY OLD**

Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	


Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **SOMFY**      Modello/Model **KEY GO RTS**

Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	

Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **SOMFY**      Modello/Model **KEYTIS RTS**

Codifica/ Coding	ROLLING CODE
Frequenza/ Frequency	433.92 MHz
Programmazione/Programming:	

Duplicabile con/Duplicable with:  
**TADA ALL**

I marchi originali indicati non sono di proprietà di Keyline S.p.A. che non rivendica alcun diritto su di essi. L'indicazione dei marchi ha il solo scopo di permettere l'individuazione della compatibilità dei ricambi. Keyline S.p.A. non ha nessun legame commerciale con le aziende proprietarie dei marchi o con le aziende ad esse collegate. The original brands indicated here don't belong to Keyline S.p.A. that does not claim any rights about them. The indication of the brands just has the purpose to allow spotting the spare parts compatibility. Keyline S.p.A. has not got any commercial bond with the company's owners of the brands or with companies cooperating with them.

# GUIDA ILLUSTRATA DEI MODELLI COMPATIBILI ILLUSTRATED GUIDE OF COMPATIBLE MODELS

Per/For **SOMFY**



Modello/Model **KEYTIS RTS NS**

Codifica/  
Coding ROLLING CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **SOMFY**



Modello/Model **MITTO**

Codifica/  
Coding ROLLING CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **SOMFY**



Modello/Model **TELIS RTS**

Codifica/  
Coding ROLLING CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **SOMFY**



Modello/Model **TS 433**

Codifica/  
Coding FIXED CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**  
**TADA 2 / TADA 4**

Per/For **SOMMER**



Modello/Model **4010**

Codifica/  
Coding ROLLING CODE

Frequenza/  
Frequency 868.36 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **SOMMER**



Modello/Model **4020**

Codifica/  
Coding ROLLING CODE

Frequenza/  
Frequency 868.36 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **SOMMER**



Modello/Model **4025 433**

Codifica/  
Coding ROLLING CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **SOMMER**



Modello/Model **4025 868**

Codifica/  
Coding ROLLING CODE

Frequenza/  
Frequency 868.36 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **SOMMER**



Modello/Model **4026**

Codifica/  
Coding ROLLING CODE

Frequenza/  
Frequency 868.36 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **STAGNOLI**



Modello/Model **KALLISTO**

Codifica/  
Coding ROLLING CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **STAGNOLI** Modello/Model **VENUS**

Codifica/  
Coding ROLLING CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:  


Duplicabile con/Duplicable with:  
**TADA ALL**



Per/For **STAGNOLI** Modello/Model **ZEUS**

Codifica/  
Coding FIXED CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:  


Duplicabile con/Duplicable with:  
**TADA ALL**  
**TADA 2 / TADA 4**



Per/For **TAU** Modello/Model **250K-SLIMR**

Codifica/  
Coding ROLLING CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:  


Duplicabile con/Duplicable with:  
**TADA ALL**



Per/For **TAU** Modello/Model **250K-SLIMRP**

Codifica/  
Coding ROLLING CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:  


Duplicabile con/Duplicable with:  
**TADA ALL**



Per/For **TAU** Modello/Model **250T-4RP**

Codifica/  
Coding ROLLING CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:  


Duplicabile con/Duplicable with:  
**TADA ALL**



Per/For **TELCOMA** Modello/Model **EDGE**

Codifica/  
Coding FIXED CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:  


Duplicabile con/Duplicable with:  
**TADA ALL**  
**TADA 2 / TADA 4**



Per/For **TELCOMA** Modello/Model **FM400**

Codifica/  
Coding ROLLING CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:  



Duplicabile con/Duplicable with:  
**TADA ALL**




Per/For **TELCOMA** Modello/Model **FM400E**

Codifica/  
Coding ROLLING CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:  



Duplicabile con/Duplicable with:  
**TADA ALL**




Per/For **TELCOMA** Modello/Model **RCS**

Codifica/  
Coding FIXED CODE

Frequenza/  
Frequency 306.00 MHz

Programmazione/Programming:  


Duplicabile con/Duplicable with:  
**TADA ALL**



Per/For **TELCOMA** Modello/Model **TANGO**

Codifica/  
Coding FIXED CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:  


Duplicabile con/Duplicable with:  
**TADA ALL**  
**TADA 2 / TADA 4**



I marchi originali indicati non sono di proprietà di Keyline S.p.A. che non rivendica alcun diritto su di essi. L'indicazione dei marchi ha il solo scopo di permettere l'individuazione della compatibilità dei ricambi. Keyline S.p.A. non ha nessun legame commerciale con le aziende proprietarie dei marchi o con le aziende ad esse collegate. The original brands indicated here don't belong to Keyline S.p.A. that does not claim any rights about them. The indication of the brands just has the purpose to allow spotting the spare parts compatibility. Keyline S.p.A. has not got any commercial bond with the company's owners of the brands or with companies cooperating with them.

# GUIDA ILLUSTRATA DEI MODELLI COMPATIBILI ILLUSTRATED GUIDE OF COMPATIBLE MODELS

Per/For **V2**



Modello/Model **HANDY**

Codifica/  
Coding ROLLING CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **V2**



Modello/Model **PHOENIX**

Codifica/  
Coding ROLLING CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **V2**



Modello/Model **PHOX 433**

Codifica/  
Coding ROLLING CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **V2**



Modello/Model **TPR-43KF**

Codifica/  
Coding FIXED CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**  
**TADA 2 / TADA 4**

Per/For **V2**



Modello/Model **TRC**

Codifica/  
Coding ROLLING CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **V2**



Modello/Model **TSC**

Codifica/  
Coding ROLLING CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **V2**



Modello/Model **TXC**

Codifica/  
Coding ROLLING CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **VDS**



Modello/Model **ECO-R**

Codifica/  
Coding ROLLING CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**

Per/For **VDS**



Modello/Model **TRQ P**

Codifica/  
Coding ROLLING CODE

Frequenza/  
Frequency 433.92 MHz

Programmazione/Programming:



Duplicabile con/Duplicable with:  
**TADA ALL**



# ELENCO DEI MODELLI ORIGINALI COMPATIBILI

## LIST OF COMPATIBLE ORIGINAL MODELS

MODELLO MODEL	FREQUENZA FREQUENCY	TADA ALL TADA ALL	TADA 2/TADA 4 TADA 2/TADA 4	MODELLO MODEL	FREQUENZA FREQUENCY	TADA ALL TADA ALL	TADA 2/TADA 4 TADA 2/TADA 4
<b>ADYX</b>				<b>BALLAN</b>			
433-HD BRAVO	433.92 MHz	■		FM400	433.92 MHz	■	
TE4433H BLUE	433.92 MHz	■		FM400E	433.92 MHz	■	
TM-433	433.92 MHz	■	■	<b>BENINCA</b>			
<b>AERF</b>				APPLE	433.92 MHz	■	
BT	433.92 MHz	■	■	CUPIDO	433.92 MHz	■	
COMPACT	433.92 MHz	■		IO	433.92 MHz	■	
HY-DOM	433.92 MHz	■		LOT A	306.00 MHz	■	
MARS	433.92 MHz	■		LOT W	433.92 MHz	■	■
MARS	868.36 MHz	■		LOT WCV	433.92 MHz	■	
MERCURI B	433.92 MHz	■		LOT WMS	433.92 MHz	■	■
MERCURI B	868.36 MHz	■		LOT X	306.00 MHz	■	
MERCURI C	433.92 MHz	■		LOT XPS	306.00 MHz	■	
MERCURI C	868.36 MHz	■		LOT XW	433.92 MHz	■	■
SABUTON	433.92 MHz	■		ROLLKEY	433.92 MHz	■	
SATURN	433.92 MHz	■		TO.GO. QV	868.36 MHz	■	
ST3-N	433.92 MHz	■		TO.GO. WP	433.92 MHz	■	
TERRA	433.92 MHz	■		TO.GO. WV	433.92 MHz	■	
TMP-1	433.92 MHz	■		TWK	433.92 MHz	■	■
TMP-2	433.92 MHz	■		TWV	433.92 MHz	■	
TTS	433.92 MHz	■	■	<b>BFT</b>			
UNITECH	433.92 MHz	■		GHIBLI	433.92 MHz	■	
<b>ALLMATIC</b>				KLEIO	433.92 MHz	■	
ASM2	306.00 MHz	■		MITTO A	433.92 MHz	■	
ASMY	306.00 MHz	■		MITTO M	433.92 MHz	■	
BRO.OVER	433.92 MHz	■		MITTO RCB	433.92 MHz	■	
BROWN	433.92 MHz	■		MURALE	433.92 MHz	■	
BROWN RED	433.92 MHz	■		TEO	433.92 MHz	■	■
MINIPASS	433.92 MHz	■		TFQ	306.00 MHz	■	
PASS	433.92 MHz	■		TRC	433.92 MHz	■	
TECH3	433.92 MHz	■		TX2 306	306.00 MHz	■	
<b>APERTO</b>				VTM	315.00 MHz	■	
4020-TX03-434	433.92 MHz	■		<b>CAME</b>			
CPS	433.92 MHz	■	■	TOP432EV	433.92 MHz	■	■
TX02-434-2	433.92 MHz	■		TOP432NA	433.92 MHz	■	■
TX02-434-2	868.36 MHz	■		TOP432S	433.92 MHz	■	■
<b>APRIMATIC</b>				TOP432SA	433.92 MHz	■	■
TM	433.92 MHz	■		TOP434A	433.92 MHz	■	■
TR	433.92 MHz	■		TOP434M	433.92 MHz	■	■
TXM	433.92 MHz	■		TOP862NA	868.36 MHz	■	
<b>ATA</b>				TWIN	433.92 MHz	■	■
PTX4 BLU	433.92 MHz	■		<b>CARDIN</b>			
PTX4 PINK	433.92 MHz	■		S437 TX	433.92 MHz	■	
<b>AUTELCO</b>				S438 TX	433.92 MHz	■	■
EMB	286.00 MHz	■		TXQ 486	868.36 MHz	■	
TX300	286.00 MHz	■		TXQ 486 NEW	868.36 MHz	■	
TX300T	286.00 MHz	■		TXQ S449	433.92 MHz	■	
<b>AVIDSEN</b>				TXQ S449 GREEN	433.92 MHz	■	
104250	433.92 MHz	■		TXQ S486 OLD	868.36 MHz	■	
104250 OLD	433.92 MHz	■		<b>CASALI</b>			
104250 RED	433.92 MHz	■		JA33 AMIGO	868.36 MHz	■	
104251	433.92 MHz	■		<b>CASIT</b>			
104257	433.92 MHz	■		BE HAPPY S	433.92 MHz	■	
104350	433.92 MHz	■		BE HAPPY S AZUL	433.92 MHz	■	
654250	433.92 MHz	■		MPSTFRC	433.92 MHz	■	
				MTE	433.92 MHz	■	

I marchi originali indicati non sono di proprietà di Keyline S.p.A. che non rivendica alcun diritto su di essi. L'indicazione dei marchi ha il solo scopo di permettere l'individuazione della compatibilità dei ricambi. Keyline S.p.A. non ha nessun legame commerciale con le aziende proprietarie dei marchi o con le aziende ad esse collegate. The original brands indicated here don't belong to Keyline S.p.A. that does not claim any rights about them. The indication of the brands just has the purpose to allow spotting the spare parts compatibility. Keyline S.p.A. has not got any commercial bond with the company's owners of the brands or with companies cooperating with them.

# ELENCO DEI MODELLI ORIGINALI COMPATIBILI LIST OF COMPATIBLE ORIGINAL MODELS

MODELLO MODEL	FREQUENZA FREQUENCY	TADA ALL TADA ALL	TADA 2/TADA 4 TADA 2/TADA 4	MODELLO MODEL	FREQUENZA FREQUENCY	TADA ALL TADA ALL	TADA 2/TADA 4 TADA 2/TADA 4
<b>CASIT</b>				<b>CLEMSA</b>			
VTM	433.92 MHz	■		MT-X	287.00 MHz	■	
<b>CELINSA</b>				MT-Y	302.00 MHz	■	
C-2	286.00 MHz	■		MT-Z	302.00 MHz	■	
DW-2	433.92 MHz	■	■	MUTANCODE	433.92 MHz	■	
ME	287.00 MHz	■		T	433.92 MHz	■	
ME-B	287.00 MHz	■		T-8	868.36 MHz	■	
MOVECODE	433.92 MHz	■		<b>DASPI</b>			
RW-2	433.92 MHz	■	■	ZERO RC	433.92 MHz	■	
SAW	433.92 MHz	■	■	<b>DEA SYSTEM</b>			
SE	287.00 MHz	■		306	306.00 MHz	■	
SE-1	302.00 MHz	■		GENIE R 273	433.92 MHz	■	
SE-1B	302.00 MHz	■		GENIE S	433.92 MHz	■	■
SE-B	287.00 MHz	■		GENIE S 263L	433.92 MHz	■	■
X-2	433.92 MHz	■		GOLD306	306.00 MHz	■	
Z-2	868.36 MHz	■		GOLDR	433.92 MHz	■	
<b>CHAMBERLAIN</b>				GOLDS	433.92 MHz	■	
132B2372	433.92 MHz	■		MIO TD	433.92 MHz	■	■
1A5477	433.92 MHz	■		MIO TR	433.92 MHz	■	
1A5639-7	433.92 MHz	■		PUNTO 268	433.92 MHz	■	■
371 LM	315.00 MHz	■		PUNTO 278	433.92 MHz	■	
4335EML	433.92 MHz	■	■	<b>DELMA</b>			
433EML	433.92 MHz	■	■	APOLLO-300-4	300.00 MHz	■	
84330E	433.92 MHz	■		APOLLO-433-4	433.92 MHz	■	■
84330EML	433.92 MHz	■		APOLLO-433-4 NEW	433.92 MHz	■	■
84333EML	433.92 MHz	■		KING-433	433.92 MHz	■	■
84335EML	433.92 MHz	■		MIZ-300	300.00 MHz	■	
8747EML	433.92 MHz	■		MIZ-433	433.92 MHz	■	■
94330EML	433.92 MHz	■		<b>DICKERT</b>			
94333E	433.92 MHz	■		HS-868	868.36 MHz	■	
94333EML	433.92 MHz	■		HS-868 GREY	868.36 MHz	■	
94334CE	433.92 MHz	■		IAMS-433	433.92 MHz	■	■
94334E	433.92 MHz	■		MAHS433	433.92 MHz	■	■
94335E	433.92 MHz	■		S10 AL	433.92 MHz	■	■
94335EML	433.92 MHz	■		S10 AL	868.36 MHz	■	
953ESTD	310.00 MHz	■		S10-433-AL	433.92 MHz	■	■
953ESTD	315.00 MHz	■		S20-433-AL	433.92 MHz	■	■
953ESTD	390.00 MHz	■		S20-868-AL	868.36 MHz	■	
971 LM	390.00 MHz	■		S5-433-AL	433.92 MHz	■	■
9747E	433.92 MHz	■		S5-868-AL	868.36 MHz	■	
G4330E	433.92 MHz	■	■	<b>DITEC</b>			
<b>CIMESA</b>				BIX LG4	433.92 MHz	■	
EM	352.00 MHz	■		BIX LP2	433.92 MHz	■	
<b>CLEMSA</b>				BIX LS2	433.92 MHz	■	■
D	288.00 MHz	■		GOL4	433.92 MHz	■	
DIGICODE MH	433.92 MHz	■	■	GOL4C	433.92 MHz	■	■
E	287.00 MHz	■		<b>DOORHAN</b>			
E-300	286.00 MHz	■		TRANSMITTER 4	433.92 MHz	■	
E-600	286.00 MHz	■		<b>DOORMATIC</b>			
E-CODE N	868.36 MHz	■		AM-300	300.00 MHz	■	
E20	288.00 MHz	■		AZ-433	433.92 MHz	■	■
EM	288.00 MHz	■		EURO	433.92 MHz	■	■
FA	306.00 MHz	■		<b>DUCATI</b>			
M-60	288.00 MHz	■		TE2	433.92 MHz	■	■
MASTERCODE	433.92 MHz	■	■				
MH	433.92 MHz	■	■				
MH-E	433.92 MHz	■	■				
MT	287.00 MHz	■					

I marchi originali indicati non sono di proprietà di Keyline S.p.A. che non rivendica alcun diritto su di essi. L'indicazione dei marchi ha il solo scopo di permettere l'individuazione della compatibilità dei ricambi. Keyline S.p.A. non ha nessun legame commerciale con le aziende proprietarie dei marchi o con le aziende ad esse collegate. The original brands indicated here don't belong to Keyline S.p.A. that does not claim any rights about them. The indication of the brands just has the purpose to allow spotting the spare parts compatibility. Keyline S.p.A. has not got any commercial bond with the company's owners of the brands or with companies cooperating with them.

MODELLO MODEL	FREQUENZA FREQUENCY	TADA ALL TADA ALL	TADA 2/TADA 4 TADA 2/TADA 4
<b>DUCATI</b>			
TPR	433.92 MHz	■	■
TSAW	433.92 MHz	■	■
TSAWN	433.92 MHz	■	■
<b>ECOSTAR</b>			
40	433.92 MHz	■	■
RSC	433.92 MHz	■	
RSE	433.92 MHz	■	
RSZ	433.92 MHz	■	
<b>ELBE</b>			
50	433.92 MHz	■	■
<b>ELEMAT</b>			
TRINARY	310.00 MHz	■	
<b>ELKA</b>			
SKX	433.92 MHz	■	■
<b>EMFA</b>			
BINARY	310.00 MHz	■	
TRINARY	310.00 MHz	■	
<b>ERREKA</b>			
BARR	340.00 MHz	■	
BM	287.00 MHz	■	
CEME	288.00 MHz	■	
CLEM	287.00 MHz	■	
CLMX	288.00 MHz	■	
CLMY	302.00 MHz	■	
CYJC	290.00 MHz	■	
IRIS	433.92 MHz	■	
IRIS	868.36 MHz	■	
JC	290.00 MHz	■	
JJM	290.00 MHz	■	
LUNA	433.92 MHz	■	■
MATZ	330.00 MHz	■	
MATZ AZUL	330.00 MHz	■	
MC	433.92 MHz	■	■
MT	290.00 MHz	■	
RESON 2	433.92 MHz	■	■
RESON 4	433.92 MHz	■	■
RLT	330.00 MHz	■	
ROLLER 2	433.92 MHz	■	
ROLLER 2 868	868.36 MHz	■	
ROLLER 4 868	868.36 MHz	■	
SGOX	433.92 MHz	■	■
SMAT	433.92 MHz	■	■
SOL433	433.92 MHz	■	
SOL868	868.36 MHz	■	
VEGA 433	433.92 MHz	■	
VEGA 868	868.36 MHz	■	
<b>FAAC</b>			
418 SL	418.00MHz	■	
DL868SLH	868.36 MHz	■	
R40 330 NEW	330.00 MHz	■	
R40 330 OLD	330.00 MHz	■	
T433SLH	433.92 MHz	■	
T868SLH	868.36 MHz	■	
TE433HG	433.92 MHz	■	

MODELLO MODEL	FREQUENZA FREQUENCY	TADA ALL TADA ALL	TADA 2/TADA 4 TADA 2/TADA 4
<b>FAAC</b>			
TM300	330.00 MHz	■	
TM315	315.00 MHz	■	
TML433SLH	433.92 MHz	■	
TML433SLR	433.92 MHz	■	■
XT433RC	433.92 MHz	■	
XT433SLH	433.92 MHz	■	
XT868SLH	868.36 MHz	■	
<b>FADINI</b>			
ASTRO 433	433.92 MHz	■	■
ASTRO 433M	433.92 MHz	■	■
JUBI 433	433.92 MHz	■	
JUBI SMALL	433.92 MHz	■	
<b>FERPORT</b>			
TAC80	868.36 MHz	■	
<b>FORSA</b>			
TRIEME	288.00 MHz	■	
TX26	288.00 MHz	■	
<b>GENIUS</b>			
AMIGO	868.36 MHz	■	
AMIGOLD	868.36 MHz	■	
BRAVO	433.92 MHz	■	
ECHO	433.92 MHz	■	
JA40	433.92 MHz	■	■
KILO	868.36 MHz	■	
<b>GIBIDI</b>			
AU1600	433.92 MHz	■	
AU1600 WOOD	433.92 MHz	■	
AU1680	433.92 MHz	■	
AU1680 WOOD	433.92 MHz	■	
DOMINO	433.92 MHz	■	
L110	305.00 MHz	■	
TMB	433.92 MHz	■	■
TSM	306.00 MHz	■	
<b>GULLIVER</b>			
MDRS	306.00 MHz	■	
MDW	433.92 MHz	■	■
<b>HORMANN</b>			
HS4 868 BS	868.36 MHz	■	
HS868	868.36 MHz	■	
HSE 433	433.92 MHz	■	■
HSE2 868 BS	868.36 MHz	■	
HSM 40	868.36 MHz	■	
HSM 433	433.92 MHz	■	■
HSP4	868.36 MHz	■	
<b>JCM</b>			
BINARY	290.00 MHz	■	
EB	310.00 MHz	■	
EF	290.00 MHz	■	
EM	284.00 MHz	■	
ET	290.00 MHz	■	
GO	868.36 MHz	■	
GO CUBELLS	868.36 MHz	■	
GO DMIL	868.36 MHz	■	
GO FORSA	868.36 MHz	■	

I marchi originali indicati non sono di proprietà di Keyline S.p.A. che non rivendica alcun diritto su di essi. L'indicazione dei marchi ha il solo scopo di permettere l'individuazione della compatibilità dei ricambi. Keyline S.p.A. non ha nessun legame commerciale con le aziende proprietarie dei marchi o con le aziende ad esse collegate. The original brands indicated here don't belong to Keyline S.p.A. that does not claim any rights about them. The indication of the brands just has the purpose to allow spotting the spare parts compatibility. Keyline S.p.A. has not got any commercial bond with the company's owners of the brands or with companies cooperating with them.

# ELENCO DEI MODELLI ORIGINALI COMPATIBILI LIST OF COMPATIBLE ORIGINAL MODELS

MODELLO MODEL	FREQUENZA FREQUENCY	TADA ALL TADA ALL	TADA 2/TADA 4 TADA 2/TADA 4	MODELLO MODEL	FREQUENZA FREQUENCY	TADA ALL TADA ALL	TADA 2/TADA 4 TADA 2/TADA 4
<b>JCM</b>				<b>MARANTEC</b>			
GO GIBIDI	868.36 MHz	■		21R	433.92 MHz	■	■
GO HYDOM	868.36 MHz	■		D23	433.92 MHz	■	■
GO NORTON	868.36 MHz	■		DIGITAL 21	433.92 MHz	■	■
GO ROPER	868.36 MHz	■		DIGITAL 30 433	433.92 MHz	■	■
GO TECH	868.36 MHz	■		DIGITAL 30 868	868.36 MHz	■	
MINI GO	868.36 MHz	■		DIGITAL 32 868	868.36 MHz	■	
NEO	433.92 MHz	■		<b>MERLIN 2.0</b>			
NEO DMIL	433.92 MHz	■		E940M	433.92 MHz	■	
NEO EMFA	433.92 MHz	■		E943M	433.92 MHz	■	
NEO FORSA	433.92 MHz	■		E945M	433.92 MHz	■	
NEO PUJOL	433.92 MHz	■		<b>MERLIN</b>			
NEO ROPER	433.92 MHz	■		C940	433.92 MHz	■	
NEO SERVIPARKING	433.92 MHz	■		C943	433.92 MHz	■	
TRIEME	320.00 MHz	■		C945	433.92 MHz	■	
TWIN	433.92 MHz	■		M842	433.92 MHz	■	
<b>KEY</b>				<b>MHOUSE</b>			
900TXB-42R	433.92 MHz	■		GTX4	433.92 MHz	■	
SUB 44R	433.92 MHz	■		M00VO	433.92 MHz	■	
TXB 44R	433.92 MHz	■		TX3	433.92 MHz	■	
<b>KING GATES</b>				<b>MOTOR LIFT</b>			
CLIPPER	433.92 MHz	■		132B2372	433.92 MHz	■	
STYLO	433.92 MHz	■		1A5477	433.92 MHz	■	
<b>LABEL</b>				<b>NICE</b>			
SPYCO	433.92 MHz	■		EASY S	306.00 MHz	■	
<b>LEB</b>				ERA ONE			
TCP	433.92 MHz	■	■	ERA-FLOR	433.92 MHz	■	
TMW	433.92 MHz	■	■	FLO-R	433.92 MHz	■	
<b>LIFT MASTER</b>				INTI			
132B2372	433.92 MHz	■		ONE	433.92 MHz	■	
1A5477	433.92 MHz	■		SMILO	433.92 MHz	■	
1A5639-7	433.92 MHz	■		VERY-VR	433.92 MHz	■	
371 LM	315.00 MHz	■		<b>LINEAR</b>			
4335EML	433.92 MHz	■	■	LINEAR	310.00 MHz	■	
433EML	433.92 MHz	■	■	MEGACODE	318.00 MHz	■	
84330E	433.92 MHz	■		<b>LINEAR</b>			
84330EML	433.92 MHz	■		LINEAR	310.00 MHz	■	
84333EML	433.92 MHz	■		MEGACODE	318.00 MHz	■	
84335EML	433.92 MHz	■		<b>LINEAR</b>			
8747EML	433.92 MHz	■		LINEAR	310.00 MHz	■	
94330EML	433.92 MHz	■		MEGACODE	318.00 MHz	■	
94333E	433.92 MHz	■		<b>LINEAR</b>			
94333EML	433.92 MHz	■		LINEAR	310.00 MHz	■	
94334CE	433.92 MHz	■		MEGACODE	318.00 MHz	■	
94334E	433.92 MHz	■		<b>LINEAR</b>			
94335E	433.92 MHz	■		LINEAR	310.00 MHz	■	
94335EML	433.92 MHz	■		MEGACODE	318.00 MHz	■	
953ESTD	310.00 MHz	■		<b>LINEAR</b>			
953ESTD	315.00 MHz	■		LINEAR	310.00 MHz	■	
953ESTD	390.00 MHz	■		MEGACODE	318.00 MHz	■	
971 LM	390.00 MHz	■		<b>LINEAR</b>			
9747E	433.92 MHz	■		LINEAR	310.00 MHz	■	
G4330E	433.92 MHz	■	■	MEGACODE	318.00 MHz	■	

I marchi originali indicati non sono di proprietà di Keyline S.p.A. che non rivendica alcun diritto su di essi. L'indicazione dei marchi ha il solo scopo di permettere l'individuazione della compatibilità dei ricambi. Keyline S.p.A. non ha nessun legame commerciale con le aziende proprietarie dei marchi o con le aziende ad esse collegate. The original brands indicated here don't belong to Keyline S.p.A. that does not claim any rights about them. The indication of the brands just has the purpose to allow spotting the spare parts compatibility. Keyline S.p.A. has not got any commercial bond with the company's owners of the brands or with companies cooperating with them.

MODELLO MODEL	FREQUENZA FREQUENCY	TADA ALL TADA ALL	TADA 2/TADA 4 TADA 2/TADA 4
<b>NORTON</b>			
NEO	433.92 MHz	■	
TXE	433.92 MHz	■	■
<b>NOVOFERM</b>			
M512	433.92 MHz	■	■
MCHS	433.92 MHz	■	
MICRO-NOVOTRON 502	433.92 MHz	■	
MICRO-NOVOTRON 504	433.92 MHz	■	
MINI-NOVOTRON 502	433.92 MHz	■	
MINI-NOVOTRON 504	433.92 MHz	■	
MNHS	433.92 MHz	■	
NOVOTRON 202 MB	433.92 MHz	■	■
<b>O&amp;O</b>			
ELIOT	433.92 MHz	■	
RAY	433.92 MHz	■	
T.COM R4-2	433.92 MHz	■	
T.COM R8-2	868.36 MHz	■	
TX	433.92 MHz	■	
<b>OPENOUT</b>			
L110	305.00 MHz	■	
TMB	433.92 MHz	■	■
TSM	306.00 MHz	■	
<b>PECCININ</b>			
TX MENBRANA	433.92 MHz	■	
<b>PORTAMATIC</b>			
MPH	433.92 MHz	■	■
MPSA	289.00 MHz	■	
MPSN	306.00 MHz	■	
<b>PRASTEL</b>			
BFOR	433.92 MHz	■	
KMFT	306.00 MHz	■	
KMFTP	306.00 MHz	■	
MPSTFE	433.92 MHz	■	
MPSTFE RE	433.92 MHz	■	■
MPSTFE RJ	433.92 MHz	■	■
MPSTLE	433.92 MHz	■	
MPSTP2E	433.92 MHz	■	
MTE	433.92 MHz	■	
TCE	433.92 MHz	■	
TRQ-P	433.92 MHz	■	
<b>PROEM</b>			
ERC-ACD	433.92 MHz	■	■
<b>PROLIFT</b>			
C940	433.92 MHz	■	
C943	433.92 MHz	■	
C945	433.92 MHz	■	
M842	433.92 MHz	■	
M844	433.92 MHz	■	
<b>PUJOL</b>			
ET	290.00 MHz	■	
NEO	433.92 MHz	■	
P15	290.00 MHz	■	
TWIN	433.92 MHz	■	

MODELLO MODEL	FREQUENZA FREQUENCY	TADA ALL TADA ALL	TADA 2/TADA 4 TADA 2/TADA 4
<b>PUJOL</b>			
VARIO	433.92 MHz	■	
VARIO MARS	433.92 MHz	■	
VARIO OCEAN	433.92 MHz	■	
<b>RIB</b>			
LITHIO	433.92 MHz	■	
MOON	433.92 MHz	■	■
SUN	433.92 MHz	■	■
<b>ROLLTORE</b>			
R330	330.00 MHz	■	
R40	330.00 MHz	■	
R40 330 NEW	330.00 MHz	■	
<b>ROPER</b>			
NEO	433.92 MHz	■	
TRINARY	290.00 MHz	■	
<b>SABUTOM</b>			
BROOVER	433.92 MHz	■	
BROSTAR	433.92 MHz	■	
<b>SEA</b>			
EC 433	433.92 MHz	■	■
<b>SEAV</b>			
BE HAPPY RS	433.92 MHz	■	
<b>SERAI</b>			
SER 310	310.00 MHz	■	
<b>SILVELOX</b>			
MHZ 07 RC	433.92 MHz	■	
QUARZ SAW	433.92 MHz	■	
<b>SIMINOR</b>			
CVX	433.92 MHz	■	■
CVXNL	433.92 MHz	■	
MITTO	433.92 MHz	■	
SIM433	433.92 MHz	■	
<b>SOMFY</b>			
ALARMA	433.92 MHz	■	
CVX	433.92 MHz	■	■
K-EASY	433.92 MHz	■	
K-EASY NEW	433.92 MHz	■	
K-EASY OLD	433.92 MHz	■	
KEY GO RTS	433.92 MHz	■	
KEYTIS RTS	433.92 MHz	■	
KEYTIS RTS NS	433.92 MHz	■	
MITTO	433.92 MHz	■	
TELIS RTS	433.92 MHz	■	
TS 433	433.92 MHz	■	■
<b>SOMMER</b>			
4010	868.36 MHz	■	
4020	868.36 MHz	■	
4025 433	433.92 MHz	■	
4025 868	868.36 MHz	■	
4026	868.36 MHz	■	

I marchi originali indicati non sono di proprietà di Keyline S.p.A. che non rivendica alcun diritto su di essi. L'indicazione dei marchi ha il solo scopo di permettere l'individuazione della compatibilità dei ricambi. Keyline S.p.A. non ha nessun legame commerciale con le aziende proprietarie dei marchi o con le aziende ad esse collegate. The original brands indicated here don't belong to Keyline S.p.A. that does not claim any rights about them. The indication of the brands just has the purpose to allow spotting the spare parts compatibility. Keyline S.p.A. has not got any commercial bond with the company's owners of the brands or with companies cooperating with them.

# ELENCO DEI MODELLI ORIGINALI COMPATIBILI

## LIST OF COMPATIBLE ORIGINAL MODELS

MODELLO MODEL	FREQUENZA FREQUENCY	TADA ALL TADA ALL	TADA 2/TADA 4 TADA 2/TADA 4
<b>STAGNOLI</b>			
KALLISTO	433.92 MHz	■	
VENUS	433.92 MHz	■	
ZEUS	433.92 MHz	■	■
<b>TAU</b>			
250K-SLIMR	433.92 MHz	■	
250K-SLIMRP	433.92 MHz	■	
250T-4RP	433.92 MHz	■	
<b>TELCOMA</b>			
EDGE	433.92 MHz	■	■
FM400	433.92 MHz	■	
FM400E	433.92 MHz	■	
RCS	306.00 MHz	■	
TANGO	433.92 MHz	■	■
<b>V2</b>			
HANDY	433.92 MHz	■	
PHOENIX	433.92 MHz	■	
PHOX 433	433.92 MHz	■	
TPR-43KF	433.92 MHz	■	■
TRC	433.92 MHz	■	
TSC	433.92 MHz	■	
TXC	433.92 MHz	■	
<b>VDS</b>			
ECO-R	433.92 MHz	■	
TRQ P	433.92 MHz	■	











0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29

To find the distributor closest to your company,  
please send a request to:



### Keyline

Keyline S.p.A.  
Via Camillo Bianchi, 2 - P.O. Box 251  
31015 Conegliano (TV) Italy  
T +39 0438 202 511  
F +39 0438 202 520  
info@keyline.it  
www.keyline.it



#### *Bianchi 1770 Group Companies distributing Keyline products*

##### **Keyline Italia**

Keyline Italia S.r.l.  
Via Zoe Fontana, 220 - Ed. C  
Tecnocittà - 00131 Roma, Italy  
T +39 06 4122 9822 | F +39 06 4120 0981  
info@keyline-italia.it  
www.keyline-italia.it

##### **Keyline Germany**

Keyline GmbH  
Uhlandstraße 31b - 42549 Velbert, Germany  
T +49 (0) 2051 807 4444 | F +49 (0) 2051 606 9922  
info@keyline-germany.de  
www.keyline-germany.de

##### **Keyline Portugal**

Luso Chav Lda.  
Rua António Carneiro, 302 - Armazém A  
4300-025 Porto, Portugal  
T +351 22 510 4702 | F +351 22 536 1248  
geral@lusochav.pt  
www.lusochav.pt

##### **Keyline USA**

Bianchi USA, Inc.  
31336 Industrial Pkwy - Suite 3  
North Olmsted, Ohio 44070, USA  
T +1 440 716 8006 | F +1 216 803 0202  
TF +1 800 891 2118  
info@keyline-usa.com  
www.keyline-usa.com

##### **Keyline Shanghai**

Bianchi 1770 Hardware Technology (Shanghai) Co. Ltd  
比安奇五金技术（上海）有限公司  
中国上海市虹口区黄浦路99号  
上海滩国际大厦1505室  
Room 1505, Shanghai Bund International Tower  
No.99 Huangpu Road, Hong Kou District 200080  
Shanghai P.R. China  
T +86 021 5031 0980 | F +86 021 5031 0981  
info@keyline-shanghai.com  
www.keyline-shanghai.com

#### *Bianchi 1770 Group Representative Offices coordinating onsite distributors*

##### **Keyline UK**

18 Beeston Court - Stuart Road - Manor Park  
Runcorn - Cheshire - WA7 1SS - UK  
T +44 (0) 1928 597 755  
info@keyline-uk.co.uk  
www.keyline-uk.co.uk

##### **Keyline Japan**

〒532-0011 大阪府大阪市淀川区西中島4-7-20  
日宝新大阪第1ビル4階1号  
Room 4F-1 Nippo Shin-Osaka Daiich Building  
4-7-20 Nishinakajima, Yodogawa-ku Osaka City  
Osaka 532-0011, Japan  
T +81 6 4805 6969 | F +81 6 4805 6900  
info@keyline-japan.jp  
www.keyline-japan.jp



**BIANCHI 1770 GROUP**

*Innovators by design | Since 1770*

